
## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



# S P R I N G 1936





### RED POTS for shipping, etc. GREEN POTS for growing.

				F	rices	per 1000
si	ize				Red	Black
2	in.	(1000 per d	carton)		\$3.65	\$5.45
21⁄4	in.	(1000 per d	carton)		3.80	5.70
21⁄2	in.	(1000 per d	carton)		4.10	6.30
3	in.	(1000 per d	carton)		5.10	7.10
$3\frac{1}{2}$	in.	(1000 per d	carton)		6.60	9.10
4	in.	( 500 per d	carton)		8.00	10.55
5	in.	( 500 per d	carton)		10.50	14.80
6	in.	( 500 per d	carton)		14.00	20.00

All prices f. o. b. E. Walpole, Mass. Can quote you f. o. b. Westminster. Special discount for quantity orders. Less 5 per cent Cash with Order. Orders filled in carton lots only.

The Westminster Nursery Westminster, Maryland

Length 1	2x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4' 6' 8' 10' 12' 14'	.75 1.00 1.25	1.00 1.25 1.50 2.50	1.25 1.50 1.75 2.75 3.25	1.50 1.75 2.00 3.25 3.50	$     1.75 \\     2.00 \\     2.50 \\     3.50 \\     4.00   $	2.00 2.50 2.75 4.00 5.00	2.50 2.75 3.25 4.50 5.50 6.00

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

## Terms and Conditions of Sale

#### This List Cancels All Previous Quotations

**IMPORTANT**—Five percent (5%) discount for cash with order before March 15th, 1936; 2% after March 15th, 1936.

VERY IMPORTANT—Orders are always individually filled with fresh dug stock. Our customers appreciate the fact that we do not ship them stock that has dried out in the storage house.

**PRICES**—All prices quoted herein are f. o. b. our nursery, packing at cost. We will accept orders 5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1000 rate. Please use printed stationery or enclose business card when ordering. No orders accepted for less than \$1.00. Prices subject to change without notice. Orders booked subject to prior sale.

**PACKING**—All boxing, crating or baling is charged at actual cost. We allow an attractive discount when cash accompanies order and considering the low prices we have made in this list, we ask you to please include sufficient extra amount to cover packing cost. Our packing charges are nominal and we refund any amount above actual cost. Or, if preferred, we can bill you for the packing charge which, of course, is higher on certain bulky items such as Privet, Balled and Burlapped Evergreens, etc. No charge will be necessitated where stock is to be placed on cars or trucks in bulk.

**PAYMENT**—Payment shall be defined as payment by cash or current check. Invoices covering stock shipped in late Fall or Winter months for Spring use may be dated not later than April 1st.

TERMS—The usual terms are offered to those of established credit or whose responsibility is known to us. Cash, security or satisfactory references required from unknown parties. All invoices are payable 2%—10 days, 1%— 30 days, or 60 days net.

**INTEREST**—Interest at the rate of 6% per annum shall be charged on accounts from maturity.

**CONSIGNMENT**—No stock will be sold directly or indirectly on consignment.

SHIPPING—Customers are required to give definite instructions in regard to manner of shipping that they desire. We ship by express and freight over the Western Maryland Railway which connects with the Pennsylvania and B. & O. Railroads and steamship lines in Baltimore. The White Transportation Co. and the Tidewater Bus Line also give motor truck service direct from the nursery. AUTO TRUCK DELIVERY—We make deliveries by truck within 100 n.iles of our nurseries; our charges for this service are very moderate. Delivery by truck is very satisfactory and often eliminates packing charges and insures quick delivery after plants are dug.

**INSPECTION**—A Certificate of Inspection accompanies each shipment.

GUARANTY—We give no guaranty, expressed or implied, as to description, quality, productiveness or any other matter of any nursery stock or bulbs we sell, and we will not be in any way responsible for the crop. All agreements and contracts are made subject to crop losses through unavoidable causes.

CLAIMS—Claims for any cause must be made promptly. Any stock that is not exactly as represented must be reported within five days after receipt of the goods.

SPECIAL SELECTION—Additional charge is made when customer tags or selects extra specimen plant material.

LOCATION—We are located 28 miles Northwest of Baltimore, Md., and 22 miles south of Gettysburg, Pa. We invite you to visit our nursery.

Respectfully yours,

#### THE WESTMINSTER NURSERY.

Est. 1893. Telephone "Westminster 222".

Westminster, Maryland, January 27, 1936.

Members of the American Association of Nurserymen, the Eastern Association of Nurserymen and the Maryland Association of Nurserymen.

For your convenience we have inserted the approximate growing height at maturity after each variety name.

## General Index

See Common Name Index on Back Cover.

	age
EVERGREENS	3
BROADLEAVED EVERGREENS	9
DECIDUOUS and FLOWERING TREES	12
NUT TREES	18
DECIDUOUS SHRUBS	18
ROSES	28
VINES	29
PERENNIALS and ROCK PLANTS	31
FRUIT TREES	58
SMALL FRUITS	59
LINING OUT STOCK	<b>6</b> 0

## Evergreens

All of our evergreens are nursery grown, sheared, two or three times transplanted, well developed and well shaped. Evergreens are balled and burlapped (B&B) at prices named.

CHAMAECYPARIS (Retinospora and Cypress) Each Per 10 Per 100 lawsoniana (Lawson Cypress) 100'-150' to 2½ ft..... .60 5.00 45.00  $2\frac{1}{2}$ to 3 6.50 57.50 3 to 4 9.00 80.00 to 5 to 6 to 7 ft..... 1.50 4 12.50 115.00 5 ft..... 2.10 17.50 150.00 ft..... 3.30 6 27.50250.00 ft..... 32.50 7 to 8 3.90 300.00 C. lawsoniana alumi (Scarab Cypress) 18 to 24 in...... 1.08 100'-150' 9.00  $2\frac{1}{2}$ 2 ft..... to 1.40 11.50ft.....  $2\frac{1}{2}$ 3 1.8015.00to  $3\frac{1}{2}$ ft..... 3 2.10 to 17.5031/2 ft..... 2.40 to 4 20.00 

 obtusa (Hinoki Cypress) 25'-35'

 3 to 4 ft.
 1.80

 4 to 5 ft.
 3.00

 С. 15.0025.00C. obtusa crippsi (Cripp's Golden Cypress) 8'-10' 12 to 15 15 to 18 in..... .60 5.00 45.00 .90 in..... 7.50 65.00 18 to 24 in..... 1.20 10.00 90.00 2 to  $2\frac{1}{2}$  ft..... 1.80 15.00 ..... ..... 15 to 18 in..... .90 7.50 18 to 24 in..... 1.5012.50 C. obtusa gracilis compacta (Football Cypress) 3'-5' 10 to 12 in..... .55 4.50..... C. pisifera (Sawara Retinospora) 18 to 24 in. 25'-35' .48 4.00 35.00  $\mathbf{2}$ to  $2\frac{1}{2}$ .60 ft..... 5.00 45.00  $2\frac{1}{2}$  to 3 ft..... .85 7.00 60.00 3 ft..... to 4 1.08 9.00 80.00 ft..... 12.50 4 to 5 1.50 115.00 5 6 ft..... 2.10 to 17.50-------7 ft..... 3.00 6 to 25.00pisifera aurea (Golden Sawara Retinospora) C. 25'-35' 4.00 18 to 24 .48 35.00 in..... 2½ ft.....  $\mathbf{2}$ .60 5.00 45.00 to  $2\frac{1}{2}$ ft..... .85 3 to 7.00 60.00 3 4 ft..... 1.08 to 9.00 80.00 4 5 ft..... 1.5012.50 115.00 to 5 ft..... 2.10 17.50 to 6  $\overline{7}$ ft..... 3.00 25.00 6 to C. pisifera plumosa (Plume Retinospora) 25'-35' to 18 to 24 .38 3.00  $1\overline{5}$ in..... 25.00 18 in..... .48 4.00 35.00 2½ ft..... 2 to.60 5.00 45.00  $\frac{1}{2}$ .85 3 to ft..... 7.00 60.00 3 1.08 to4 ft..... 9.00 80.00 4 to 5 ft..... 1.50 12.50 115.00 5 to 6 ft..... 2.10 17.50 150.00

C. pisifera plumosa aurea (Gold			Per 100
spora) 25'-35'	-		
15 to 18 in 18 to 24 in		3.00 4.00	25.00 35.00
$2$ to $2\frac{1}{2}$ ft		5.00	45.00
$2\frac{1}{2}$ to 3 ft 3 to 4 ft	85	7.00	
		9.00	80.00
C. pisifera squarrosa veitchi (V spora) 25'-30'			
15 to 18 in 18 to 24 in		4.00 6.00	35.00 50.00
2 to $2\frac{1}{2}$ ft	90	7.50	
$2\frac{1}{2}$ to 3 ft 3 to 4 ft			
	. 1.00	19.00	*********
JUNIPERUS (Juniper)	151 001		
J. chinensis (Chinese Juniper) 1 2 to 2½ ft		11.00	100.00
$2\frac{1}{2}$ to 3 ft	. 1.80	15.00	125.00
3 to 4 ft	. 2.10	17.50	150.00
J. chinensis columnaris (pyram Chinese Juniper) 15'-20'	idalis)	(Colu	mnar
$2\frac{1}{2}$ to 3 ft		10.00	90.00
3 to 4 ft 4 to 5 ft		15.00 20.00	$125.00 \\ 175.00$
5 to 6 ft.		27.50	250.00
J. chinensis columnaris viridis ((	Green (	Column	
Chinese Juniper) 20'-25' 12 to 15 in	72	6.00	*********
15 to 18 in	. 1.20	10.00	•••••
J. chinensis pfitzeriana (Pfitzer	Junip	er) <b>5'-</b> 6	1
15 to 18 in. spread 18 to 24 in. spread			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	.98	8.00	70.00
$2\frac{1}{2}$ to 3 ft. spread 3 to $3\frac{1}{2}$ ft. spread	1.20	10.00	90.00
*		19.00	123.00
J. chinensis sargenti (Sargent) 1 15 to 18 in. spread	$1\frac{1}{2}$	12.00	100.00
J. communis aurea (Golden Pros	trate o	or Golde	en
Canada Juniper) 2'-3' 12 to 15 in. spread	.48	4.00	
12         to 15         in. spread           15         to 18         in. spread	.60	5.00	
18 to 24 in. spread 2 to 2½ ft. spread	72	6.00 8.00	
$2\frac{1}{2}$ to $3$ ft. spread	1.20	10.00	•••••
J. communis depressa (Prostrate	or Ca	nada Ju	iniper)
2'-3' 12 to 15 in. spread	.48	4.00	
15 to 18 in. spread	.60		•••••
18 to 24 in. spread 2 to 2½ ft. spread	.72	6.00 8.00	
$2\frac{1}{2}$ to $3$ ft. spread	1.20	10.00	
J. communis depressa plumosa		rra or	Purple
Plumed Spreading Juniper) 15 to 18 in. spread	3 <sup>-4</sup> .48	4.00	35.00
18 to 24 in. spread	.72	6.00	50.00
2 to 2½ ft. spread 2½ to 3 ft. spread	.98 1.20	8.00 10.00	70.00 90.00
$3$ to $3\frac{1}{2}$ ft. spread	1.80	15.00	125.00

	Each		Per 100
J. communis hibernica (Irish Ju	uniper)	10'-15	
15 to 18 in		3.50	27.50
18 to 24 in		4.50	40.00
2 to $2\frac{1}{2}$ ft		5.00	45.00
$2\frac{1}{2}$ to 3 ft		6.00	50.00
3 to 4 ft		7.00	60.00
4 to 5 ft		10.00	90.00
5 to 6 ft		15.00	
6 to 7 ft		<b>22.50</b>	
J. communis oblonga 7'-8'	0.0	= 00	15 00
15 to 18 in		5.00	45.00
18 to 24 in		6.00	50.00
$2 to 2\frac{1}{2} ft.$		9.00	80.00
$2\frac{1}{2}$ to 3 ft	1.35	11.00	100.00
J. excelsa stricta (Spiny Greek	Junine	(r) $4'-6'$	,
10 to 12 in.	55	4.50	40.00
12 to $15$ in		6.00	50.00
15 to 18 in		8.00	
18 to 24 in		10.00	
$2   to 2\frac{1}{2}   ft.$		12.50	
$2\frac{1}{2}$ to $3$ ft		17.50	
3  to  4  ft.		25.00	
0 10 4 10	0.00	20.00	
J. horizontalis (Creeping Junipe	er) 1'-2	2'	
12 to 15 in. spread		5.50	47.50
15 to 18 in. spread		6.50	55.00
18 to 24 in. spread		8.00	70.00
2 to $2\frac{1}{2}$ ft. spread	1.20	10.00	90.00
· · · · ·			
J. horizontalis glauca (Blue Cro	eeping	Savin)	1'-2'
18 to 24 in. spread			
2 to $2\frac{1}{2}$ ft. spread	2.40	20.00	
-			
J. japonica (Japanese Juniper)	6'-8'		
12 to 15 in. spread	48	4.00	
15 to 18 in. spread	60	5.00	45.00
18 to 24 in. spread		7.50	65.00
J. sabina (Savin Juniper) 6'-7'			
15 to 18 in. spread	48		
18 to 24 in. spread	72	6.00	50.00
2 to $2\frac{1}{2}$ ft. spread	98	8.00	70.00
$2\frac{1}{2}$ to $3$ ft. spread	1.20	10.00	90.00
2 to 2½ ft. spread 2½ to 3 ft. spread 3 to 3½ ft. spread	1.80	15.00	125.00
J. sabina tamariscifolia (Tamar	ix Sav	in Juni	per)
1½'-2'	1 00		
12 to 18 in. spread	. 1.08	9.00	•••••
18 to 24 in. spread	. 1.50	12.50	••••••
	• •	• • • •	
J. sphaerica (fortunei) (Fortune	e's Jun	aper) 2	030.
$2 to 2\frac{1}{2} ft.$			
$2\frac{1}{2}$ to 3 ft	. 2.10	17.50	••••••
3 to 4 ft	2.40	20.00	••••••
I sanomata mayori (Marrow Tor	inon	2' 1'	
J. squamata meyeri (Meyer Jun 12 to 15 in	nper)	6 00	50.00
12 to 13 in 15 to 18 in	14	0.00	70.00
15 to 18 in 18 to 24 in	1 50	19 50	115.00
10 10 24 111	. 1.90	12.90	115.00
J. virginiana (Redcedar) 30'-50'			
3 to 4 ft	1 50	12.50	
4 to 5 ft		12.50 15.00	125.00
5 to 6 ft		22 50	200.00
6 to 7 ft			325.00
	. 1.4V	00.00	040.00

THE WESTMINSTER NURSERY

		Per 10	Per 100
J. virginiana burki (Burk's Redo	edar)	1012	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{r} 12.00\\ 15.00 \end{array}$	125.00
$3  ext{ to } 4  ext{ ft.}$		17.50	150.00
$4  ext{ to } 5  ext{ ft}$			200.00
5 to $6$ ft		32.50	300.00
		1) 10	1 1 21
J. virginiana cannarti (Cannart $2\frac{1}{2}$ to 3 ft		15.00	-15 125.00
$3  ext{ to } 4  ext{ ft.}$		20.00	120.00
$4  ext{ to 5 ft}$		27.50	
J. virginiana glauca (Silver Red	lcedar	) 15'-20	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		9.00 10.00	80.00 90.00
$2^{1/2}$ to $2^{1/2}$ ft		13.50	50.00
$3  ext{ to } 4  ext{ ft.}$		17.50	
J. virginiana keteleeri (Keteleer 15 to 18 in	Reace 90	7.50	-10
18 to 24 in		12.50	••••••
$2 to 2\frac{1}{2} tf.$		17.50	
$2\frac{1}{2}$ to $3$ ft		22.50	
3 to 4 ft		30.00	
4  to  5  ft.	. 4.80	40.00	
J. virginiana kosteri (Koster Re	edceda	r) 3'-4'	
15 to 18 in. spread		16.50	
18 to 24 in. spread		20.00	•••••
J. virginiana schotti (Schott Re	dcedar	) 15'-10	)'
$2$ to $2\frac{1}{2}$ ft		12.00	100.00
$2\frac{1}{2}$ to 3 ft	. 1.80	15.00	125.00
3 to 4 ft		20.00	175.00
A 1. P .C.			
4 to 5 ft	. 3.00	25.00	
	. 3.00	25.00	••••••
PICEA (Spruce)			
PICEA (Spruce) P. canadensis albertiana (Albert			
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I		
PICEA (Spruce) P. canadensis albertiana (Albert	a or I	Black H	ills
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft	a or 1 . <b>1.68</b> . <b>2.22</b>	Black H 14.00	ills
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or 1 . <b>1.6</b> 8 . <b>2.22</b> .100'	Black H 14.00	ills
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft</li> <li>P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in</li> </ul>	a or 1 . 1.68 . 2.22 .100' 42 55	3lack H 14.00 18.50	ills 
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft 3 to 4 ft</li> <li>P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in 2 to 3 ft</li> </ul>	a or 1 . 1.68 . 2.22 -100' 42 55 72	Black H 14.00 18.50 3.50 4.50 6.00	ills  30.00 40.00 50.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 -100' 42 55 72 . 1.20	Black H 14.00 18.50 3.50 4.50 6.00 10.00	ills  30.00 40.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 -100' 42 55 72 . 1.20 . 1.68	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 -100' 42 55 72 . 1.20 . 1.68 . 2.40	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 -100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00	ills 30.00 40.00 50.00 90.00
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20	3lack H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2<sup>1</sup>/<sub>2</sub> to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 5.08 . 6.50 10.20 e Spru	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'-	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50	ills 30.00 40.00 50.00 90.00 
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'-	ills 30.00 40.00 50.00 90.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50	ills 30.00 40.00 50.00 90.00  80' 150.00 200.00
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50	ills 30.00 40.00 50.00 90.00 
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	ills 30.00 40.00 50.00 90.00 
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20 me) 3'-	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4'	ills 30.00 40.00 50.00 90.00 
<ul> <li>PICEA (Spruce)</li> <li>P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft</li></ul>	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20 me) 3'-	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00	ills 30.00 40.00 50.00 90.00 
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 3.60 . 2.40 . 3.60 . 2.40 . 3.60 . 2.40 . 3.60 . 2.70 . 2.70 . 3.30 . 4.20 me) 3'- 48 60	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00 5.00	ills 30.00 40.00 50.00 90.00 
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 2.40 . 3.60 . 2.40 . 3.60 . 2.10 . 2.70 . 3.30 . 4.20 me) 3'- 48 60 90 . 1.45	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00 5.00 7.50 12.00	ills 30.00 40.00 50.00 90.00 
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 . 5.08 . 6.50 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20 me) 3'- 48 60 90 . 1.45 1.92	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00 5.00 7.50 12.00 16.00	ills 30.00 40.00 50.00 90.00 
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20 me) 3'- 48 60 90 . 1.45 1.92 2.70	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00 5.00 7.50 12.00 16.00 22.50	ills 30.00 40.00 50.00 90.00 
PICEA (Spruce)         P. canadensis albertiana (Albert Spruce) $50'-60'$ $2\frac{1}{2}$ to 3 ft	a or 1 . 1.68 . 2.22 .100' 42 55 72 . 1.20 . 1.68 . 2.40 . 3.60 . 3.60 10.20 e Spru . 2.10 . 2.70 . 3.30 . 4.20 me) 3'- 48 60 90 . 1.45 1.92 2.70	Black H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 -4' 4.00 5.00 7.50 12.00 16.00	ills 30.00 40.00 50.00 90.00 

	Each	Per 10	<b>Per</b> 100
P. nigra (Austrian Pine) 60'-70'	uacii		101100
15 to 18 in		5.00	45.00
18 to 24 in		6.00	50.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		7.50 8.50	65.00 75.00
$3  ext{ to } 4  ext{ ft}$		12.50	115.00
4 to 5 ft		15.00	125.00
5 to 6 ft		25.00	225.00
6 to 7 ft	4.20	35.00	
P. resinosa (Red Pine) 60'-70'			
15 to 18 in 18 to 24 in		3.00 3.50	27.50
		0.00	••••••
P. sylvestris (Scotch Pine) 30'-40 15 to 18 in		2.75	25.00
15 to 18 in 18 to 24 in		3.50	30.00
$2 to 2\frac{1}{2} tft.$		7.00	
$2\frac{1}{2}$ to 3 ft	.98	8.00	
5 to 6 ft		27.50	250.00
6 to 8 ft		40.00	•••••
RETINOSPORA—See Chamaecypa	ris		
THUJA (Arborvitae)			
T. occidentalis (American Arbor		) 20'-30	)'
18 to 24 in		3.00	25.00
$2 to 2\frac{1}{2} ft$		4.00	35.00
$2\frac{1}{2}$ to $3$ ft 3 to $4$ ft		5.50 6.50	47.50 55.00
$4  ext{ to } 5  ext{ ft}$		10.00	90.00
5 to 6 ft		15.00	125.00
6 to 7 ft		35.00	
7 to 8 ft		40.00	•••••
8 to 10 ft		50.00	
T. occidentalis compacta (Parso	ns A	rborvit	ae) 3'-5'
12 to 15 in 15 to 18 in		3.50 4.50	<b>30.00</b> 40.00
10 to 10 in.		6.00	50.00
2 to $2\frac{1}{2}$ ft		8.50	75.00
$2\frac{1}{2}$ to 3 ft	1.20	10.00	••••••
T. occidentalis ellwangeriana (T vitae) 4'-5'	om	Thumb	Arbor-
15 to 18 in		4.00	35.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	.68	5.50	45.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	.85	7.00	60.00 90.00
T. occidentalis globosa (Globe An 9 to 12 in	borv. .38	(11ae) 3 $(3.00)$	-4 25.00
12 to 15 in		3.50	30.00
15 to 18 in		4.50	40.00
18 to 24 in	.72	6.00	50.00
2 to $2\frac{1}{2}$ ft		8.00	•••••
T. occidentalis hoveyi (Hovey Ar			
12 to 15 in 15 to 18 in			30.00
15 to 18 in 18 to 24 in		4.50 6.00	$\begin{array}{r} 40.00\\ 50.00\end{array}$
$2   to   2\frac{1}{2}   ft.$	.98	8.00	70.00
$2\frac{1}{2}$ to 3 ft	1.20	10.00	
$3$ to $3\frac{1}{2}$ ft		12.50	
T. occidentalis Little Gem (Littl $1\frac{1}{2}$ '-2'			orvitae)
6 to 8 in			
8 to 10 in	.72	6.00	••••••

		1711-	D 10	D 100
T. occidentalis	lutes (G		Per 10	
10'-15'	Iutea (Go	corge reabou	iy mibu	I vitac j
15 to 18	in		5.00	45.00
18 to 24	in		7.50	65.00
		1.20	10.00	••••••
$2\frac{1}{2}$ to $3$	ft	1.62	13.50	••••••
T. occidentalis	"Oval Ton	° 6′-8′		
15 to 18 in			6.00	
18 to 24 in		1.08	9.00	
T occidentalis	nvramidal	is (Pyramid	al Arho	rvitae)
15'-30'	pyramidai	15 (I yrannu		1 (1040)
18 to 24	in		3.50	30.00
$2$ to $2\frac{1}{2}$	ft		4.50	40.00
$2\frac{1}{2}$ to 3	ft			50.00
3 to $4$	ft			65.00
4 to 5 5 to 6	ft ft		$\begin{array}{r} 10.00\\ 12.50 \end{array}$	90.00 115.00
6 to $7$	ft			225.00
7 to 8	ft			250.00
8 to 9	ft	6.00	50.00	
9 to 10	ft	8.50	70.00	
T. occidentalis	roidi (Roi	d Arhorvitae	) 4'-5'	
15 to 18				45.00
18 to 24	in			50.00
2 to $2\frac{1}{2}$		1.08		80.00
$2\frac{1}{2}$ to $3$	ft	1.50	12.50	100.00
T. occidentalis	umbracul	ifera (Umbro	ella or (	Cushion
Arborvitae				
15 to 18 in				•••••
18 to 24 in			6.00	••••••
T. occidentalis	wareana	Siberian Arb	orvitae)	12'-15'
15 to 18	in			25.00
18 to 24	in		4.50	40.00
2 to $2\frac{1}{2}$	ft			50.00
		1.02		•••••
$\begin{array}{ccc} 3 & \mathrm{to} & 4 \\ 4 & \mathrm{to} & 5 \end{array}$		1.50		•••••
$\begin{array}{c} 4 & 10 & 5 \\ 5 & to & 6 \end{array}$		2.70		•••••
T. occidentalis	wareana	aurea (Gold	en Siber	rian or
Goldspot A 18 to 24	Arborvitae	) 12'-15'	4.50	40.00
	in ft			40.00
$\frac{2}{2}\frac{1}{2}$ to $\frac{2}{3}$	ft	1.08		
		1.05		
				itac) 2'
T. occidentalis 10 to 12 in			<b>3.00</b>	25.00
12  to  15  in				30.00
T. orientalis a 15'-25'	urea (Gold	den Oriental	Arburvi	lae)
18 to 24	in	.48	4.00	35.00
$2$ to $2\frac{1}{2}$	ft		5.00	45.00
$2\frac{1}{2}$ to $3$				50.00
T. orientalis a	urea nana	(Berckman's	Golden	Arbor-
vitae) 3'-5	/	(	a or don	
9 to 12 in	1			30.00
	1			45.00
	1			50.00
	1 1	1.08 1.35		80.00 100.00
$2 \text{ to } 2\frac{1}{2} \text{ fr}$		1.68		
		1.00	2 2.00	

E	ach	Per 10	Per 100
T. orientalis elegantissima (Yello	w C	olumn	Arbor-
vitae) 7'-10'		<b>F</b> 00	45 00
18 to 24 in 2 to 2½ ft		5.00 7.50	$\begin{array}{r} 45.00 \\ 65.00 \end{array}$
$2\frac{10}{2}\frac{272}{2}$ it		10.00	90.00
$3 to 3\frac{1}{2} ft.$		12.50	115.00
5 to 6 ft	3.30	27.50	
6 to 7 ft	4.20	35.00	
TSUGA canadensis (Canada Hemloo	ek) 7	5'-90'	
18 to 24 in		7.50	
2 to $2\frac{1}{2}$ ft		12.50	
$2\frac{1}{2}$ to 3 ft 3 to 4 ft		17.50	•••••
3 to 4 ft	2.40	20.00	
Broadleaved Eve	>ro	rrpp	ns
Dioudica ved Lve	312		110
Including Shrubs, Vines and	Grou	nd-cove	rs
ABELIA grandiflora (Glossy Abel 4'-6'	1a; 1	Bush A	(routus)
15 to 18 in. B&B	.30	2.50	20.00
18 to 24 in. B&B	.42	3.50	30.00
2 to 3 ft. B&B	.55	4.50	40.00
AZALEAS			
Amoena. Rosy purple. 3'-4'			
4 to 6 in. B&B	.38	3.00	25.00
6 to 8 in. B&B	.48	4.00	35.00
8 to 10 in. B&B	.60	5.00	45.00
10 to 12 in. B&B	.90	7.50	65.00
Apple Blossom. Pale pink. 3'-4'			
4 to 6 in. B&B	.48		30.00
6 to 8 in. B&B 8 to 10 in. B&B	.60 .72	5.00 6.00	40.00 50.00
8 to 10 III. D&D		0.00	30.00
Christmas Cheer (Kurume). Brig			
4 to 6 in. B&B		5.00	
6 to 8 in. B&B 8 to 10 in. B&B	.72		
	•••0	0.00	10.00
Coral Bells. Shell Pink. 3'-4'	40	4.00	90.00
2 to 4 in. B&B 4 to 6 in. B&B	.48	4.00	
6 to 8 in. B&B	.72		
Flame (Kurume). Brilliant copp 4 to 6 in. B&B	er-re	ed. 3°-4 r <b>4.00</b>	a 30.00
6  to  8  in.  B&B			
			20000
Hinamoyo (Kurume). Clear pin 4 to 6 in. B&B	K. 3 19	-4 4.00	30.00
6 to 8 in. B&B			
Hinodegiri (Kurume). Brilliant			
2 to 4 in. B&B 4 to 6 in. B&B			
6 to 8 in. B&B			
8 to 10 in. B&B			
Indica alba. Single white. 3'-4'			
6 to 8 in. B&B	.72	2 6.00	50.00
8 to 10 in. B&B	.98	<b>8.00</b>	70.00
10 to 12 in. B&B	1.20	) 10.00	90.00
12 to 15 in. B&B			
15 to 18 in. B&B	2,10	) 17.50	) 150.00

9

/

Each	Per 10 Per 100
Japonica. Single lavender. 3'-4' 8 to 10 in. B&B 1.2	0 10.00 90.00
10 to 12 in. B&B 1.4	5 12.00 100.00
12 to 15 in. B&B 1.6	8 14.00 120.00
Ledifolia alba. Single white. 3'-4'	
12 to 15 in. B&B 1.4 15 to 18 in. B&B 1.6	
Macrantha (Indica). Red salmon. 3 4 to 6 in. B&B	8'-4'
6 to 8 in. B&B	
Maxwelli (Kurume). Large carmine	-red 3'-4'
8 to 10 in. B&B 1.2	0 10.00 90.00
10 to 12 in. B&B 1.4	
12 to 15 in. B&B 1.68 15 to 18 in. B&B 2.10	
Morning Glow. Rose pink. 3'-4' 2 to 4 in. B&B	8 3.00 25.00
4 to 6 in. B&B	
6 to 8 in. B&B	0 5.00 40.00
Peach Blossom. Dark pink. 3'-4'	
4 to 6 in. B&B48	
6 to 8 in. B&B60	0 5.00 40.00
Peach Blow. Very pale pink. 3'-4'	
2 to 4 in. B&B 48	
4 to 6 in. B&B60	5.00 40.00
Pink Beauty. Lovely pink. 3'-4'	
4 to 6 in. B&B	5 7.00 60.00
6 to 8 in. B&B	8 8.00 70.00
Pink Pearl (Kurume). Salmon-rose,	lighter in
center. 3'-4' 4 to 6 in. B&B	8 4 00 30 00
6 to 8 in. B&B	
8 to 10 in. B&B	8 8.00 70.00
Yayegiri (Kurume). Salmon-red. 3'	-4'
4 to 6 in. B&B	<b>4.00 30.00</b>
6 to 8 in. B&B60	5.00 40.00
BERBERIS (Barberry)	
B julianae (Wintergreen Barberry) 5	<b>'-</b> 6'
10 to 12 in. B&B	3.75
12 to 15 in. B&B	
15 to 18 in. B&B	
B. verruculosa (Warty Barberry) 3'-4 12 to 15 in. B&B	
15 to 18 in. B&B 1.15	
BUXUS (Boxwood)	
B. sempervirens (Common Bush Forr 10'-12'	n Boxwood)
10 to 12 in. B&B	
12 to 15 in. B&B	4.50 40.00
15 to 18 in. B&B	6.00 50.00 10.00 90.00
10 to 27 m, 200 1.20	10.00 20.00

-1	n
	Ð
_	~

¥

B. sempervirens suffruticosa (Tru		Per10 F rf or E	
Boxwood) 5'-8' 6 to 8 in. from field B&B 8 to 10 in. from field B&B 10 to 12 in. from field B&B See also page 62.	.42	2.00 3.50 7.00	18.00 30.00 60.00
COTONEASTER			
C. divaricata (Spreading Cotoneas 2 to 3 ft. B&B 3 to 4 ft. B&B	.85	5'-6' 7.00	••••••
3 to 4 It. B&B	1.20	10.00	••
C. francheti (Franchet Cotoneaste	r) 5'	-7'	
15 to 18 in. B&B	.48	4.00	
18 to 24 in. B&B	.68	5.50	
C harizantalia (Daale Catanaastan	<u>م رە</u> د	1	
C. horizontalis (Rock Cotoneaster 15 to 18 in., 5 in. pots		4.00	
18 to 24 in., 6 in. pots	.40	5.50	
10 00 <b>21</b> mi, 0 mi pous	••••	0.00	••
C. microphylla (Rockspray Coton	easte	r) $2'-2^{1}$	/2'
15 to 18 in., 5 in. pots	.48	4.00	
18 to 24 in., 6 in. pots	.68	5.50	•••••
C. simonsi (Simons Cotoneaster)	5' 6'		
12 to 18 in. B&B	.42	3.50	
18 to 24 in. B&B	.68	5.50	
$2$ to $2\frac{1}{2}$ ft. B&B	.98	8.00	
DAPHNE cneorum (Rose Daphne)	1′		
9 to 12 in. spread	.72	6.00	
12 to 15 in. spread	.98	8.00	
15 to 18 in. spread	1.35	11.00	
EUONYMUS			
E. japonicus (Evergreen Burning)	bush)	12'-15'	
8 to 12 in. B&B	.42	3.50	
12 to 18 in. B&B	.55	4.50	•••••
18 to 24 in. B&B	.68	5 <b>.</b> 50	
E. japonicus albovariegatus (Silve bush) 12'-15'	erspo	t Burni	ng-
10 to 12 in. B&B	.48	4.00	
12 to 15 in. B&B	.60	5.00	
E. radicans (Wintercreeper) 12'-1	6'		
12 to 15 in. B&B		2.50	20.00
15 to 18 in. B&B	.38	3.00	25.00
E redicers contra (Showloof W			C! 10!
E. radicans acutus (Sharpleaf W) 12 to 15 in. 3 yr. B&B		reeper)	
12 to 15 m. 5 yr. D&D	.00	2.00	••••••
E. radicans coloratus (Redleaved 6'-10'		-	er)
12 to 15 in. 3 yr. B&B	.30	2.50	•••••
15 to 18 in. 3 yr. B&B	.38	3.00	
E. radicans vegetus (Bigleaf Wir	ntercr	eeper)	12'-15'
12 to 15 in. B&B	.38	3.00	<b>25.00</b>
15 to 18 in. B&B			
18 to 24 in. B&B	.48	4.00	35.00
ILEX crenata microphylla (Littleles 6'-8'	af Ja	panese	Holly)
6 in. pots	.55	4.50	

THE WESTMINSTER NURSERY

Each Per 10 1	
LEUCOTHOE catesbaei (Drooping Leucothoe)	3'-4'
15 to 18 in. B&B	
18 to 24 in. B&B 1.08 9.00	
LIGUSTRUM lucidum (Glossy Evergreen Prive 20'-25'	et)
15 to 18 in. B&B	50.00
	65.00
18 to 24 in. B&B90 7.50	05.00
	-> 0/ At
LONICERA nitida (Japanese Privet Honeysuckle	
12 to 15 in. B&B60 5.00	•••••
15 to         18         in.         B&B.         .78         6.50           18 to         24         in.         B&B.         1.50         12.50	
18 to 24 in. B&B 1.50 12.50	
2 to 2 <sup>1</sup> / <sub>2</sub> ft. B&B 1.75	
	•••••
MAHONIA aquifolium (Oregon Hollygrape) 4'	-5'
$15 \text{ to } 18 \text{ in } \mathbf{R} \mathbf{k} \mathbf{R}$	
15 to 18 in. B&B	
18 to 24 in. B&B	• • • • • • • • • • •
	_
Per Per	Per
Each 10 100	1000
PACHYSANDRA terminalis (Japanese Spurge)	<b>6''-10''</b>
Strong $2\frac{1}{4}$ in. pot plants .12 1.00 8.00	75.00
5010hg 274 hi. pot plants .12 1.00 0.00	10.00
Desk Devilo	<b>n</b> 100
Each Per 10 I	Per 100
PIERIS	
P. floribunda (Mountain Andromeda) 4'-5'	
12 to 15 in. B&B 1.20 10.00	
15 to 18 in. B&B 1.92 16.00	
P. japonica (Japanese Andromeda) 5'-6'	
$12 \text{ to } 15 \text{ in } \mathbf{R} \mathbf{R} \mathbf{R} \mathbf{R} \mathbf{R} \mathbf{R} \mathbf{R} $	
12 to 15 in. B&B 1.02 8.50	•••••
15 to 18 in. B&B 1.45 12.00	•••••
PYRACANTHA coccinea lalandi (Laland Fireth	orn)
10'-15'	
18 to 24 in. B&B., or 7 in. pots 1.35 11.00	•••••
2 to 3 ft. B&B 1.80 15.00	
3 to 4 ft. B&B 2.40 20.00	
VINCA (Periwinkle or Myrtle)	
V. minor (Common Periwinkle or Myrtle) 6"-	.8″
2 yr. No. 1	8.00
	0.00
DUODODENDDON	

#### RHODODENDRON

Varieties, sizes and prices on application.

## Deciduous and Flowering Trees

Prices quoted on Deciduous and Flowering Trees are for trees dug with bare roots except as noted. Addi-tional charge made to ball and burlap deciduous trees.

#### ACER (Maple)

A

		Ì	T	- /						Each	<b>P</b> er 10	<b>Per 100</b>
١.	da	asy	car	pun	1 (S	lilve	er M	lapl	le)	60'-80	*	
	6	to	8	ft							3.50	30.00
	8	to	10	ft.,	1	to	$1\frac{1}{2}$	in.	cal	l60	5.00	45.00
	10	to	12	ft.,	$1\frac{1}{2}$	to	2	in.	cal	l85	7.00	60.00

A

A

Bach Per	10 D 100
	10 Per 100
A. negundo (Box Elder or Ash-leaved Ma	ple) 60°-70°
	3.25
8 to 10 ft., 1 to 1¼ in. cal60 5	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal75	<b>5.2</b> 5
10 to 12 ft., 1½ to 1¾ in. cal 1.08	00.6
A. palmatum atropurpureum (Purpleleat	or Blood-
leaf Japanese Maple) 6'-8'	
10 to 12 in. B&B	3.50
	5.00
	7.50
	).00
10 to 24 m. D&D 1.20 to	
A. platanoides (Norway Maple) 50'-75'	
6 to 8 ft	6.00 50.00
$0 0 0 0 10, \dots 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0$	
	7.50 65.00
	0.00 90.00
	<b>3.00 116.00</b>
$1\frac{3}{4}$ to 2 in. cal <b>1.92</b> 16	5.00
2 to 2¼ in. cal 2.40 20	00.0
	5.00
	2.50
	N FA
$3\frac{1}{2}$ to 4 in. cal 6.00 50	
A. platanoides schwedleri (Schwedler Ma	ple) 50'-70'
6 to 8 ft., branched	
8 to 10 ft., branched 1.08	
8 to 10 ft., branched 1.08 8 to 10 ft., 1¼ to 1½ in. cal. 1.50	.00
8 to 10 1t., 174 to 172 In. cal. 1.50 14	2.50
	7.50
	2.50
12 to 14 ft., 2 to $2\frac{1}{4}$ in. cal. 3.60 30	).00
A webwer (Ded an Geoulet Menle) 60' 90'	
A. rubrum (Red or Scarlet Maple) 60'-80'	
	<b>5.00 50.00</b>
8 to 10 ft 1.08	0.00 80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.50 12	
	2.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22	7.50
10 to 12 ft., 1½ to 1¾ in. cal2.10 17 10 to 12 ft., 1¾ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100'	7.50 2.50
10 to 12 ft., 1½ to 1¾ in. cal2.10 17 10 to 12 ft., 1¾ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50        2.50        3.00
10 to 12 ft., 1½ to 1¾ in. cal2.10       17         10 to 12 ft., 1¾ to 2       in. cal. 2.70       22         A. saccharum (Sugar Maple) 60'-100'       6 to 8 ft	7.50 2.50
10 to 12 ft., 1½ to 1¾ in. cal2.10       17         10 to 12 ft., 1¾ to 2       in. cal. 2.70       22         A. saccharum (Sugar Maple) 60'-100'       6 to 8 ft	7.50        2.50        3.00
10 to 12 ft., 1½ to 1¾ in. cal2.10       17         10 to 12 ft., 1¾ to 2       in. cal. 2.70       22         A. saccharum (Sugar Maple) 60'-100'       6 to 8 ft	7.50          2.50          3.00          5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 <b>A. saccharum</b> (Sugar Maple) 60'-100' 6 to 8 ft	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 <b>A. saccharum</b> (Sugar Maple) 60'-100' 6 to 8 ft	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) $60^{\prime}$ -100' 6 to 8 ft	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50 2.50 3.00 5.00 3.50 5.00 2.00 hestnut)
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         3.00         3.00         3.00         3.00         3.00         3.50         3.50         3.00         3.50         3.00         4.00         5.00         4.00         5.00         5.00         5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) $60'-100'$ 6 to 8 ft	7.50         2.50         3.00         3.00         3.00         3.00         3.00         3.00         3.50         3.50         3.00         3.50         3.00         3.50         3.50         3.50         3.50         3.50         3.50         5.00         5.00         5.00         5.00         5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) $60'-100'$ 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) $60'-100'$ 6 to 8 ft	7.50         2.50         3.00         3.00         3.00         3.00         3.00         3.00         3.50         3.50         3.00         3.50         3.00         3.50         3.50         3.50         3.50         3.50         3.50         5.00         5.00         5.00         5.00         5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) $60'-100'$ 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         3.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         5.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         5.00         5.00         5.00         5.00         5.00         5.50         5.50         7.50         40.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         5.00         5.00         5.00         5.50 <t< td=""></t<>
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         5.00         5.00         3.50         5.00         3.50         5.00         3.50         5.00         5.00         5.00         5.00         5.50 <t< td=""></t<>
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         5.00         5.00         5.00         5.50 <t< td=""></t<>
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         5.00         5.00         3.50         5.00         3.50         5.00         3.50         5.00         5.00         5.00         5.00         5.50 <t< td=""></t<>
10       to       12       ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         5.00         2.00         hestnut)         5.50         3.50         3.50         3.50         3.50         2.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50         3.50         3.50         3.50         3.50         3.50         3.50         3.50         4.50         40.00         3.50         2.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         5.00         3.50 <t< td=""></t<>
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         3.00         5.00         3.50 <t< td=""></t<>
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal2.10 17 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.70 22 A. saccharum (Sugar Maple) 60'-100' 6 to 8 ft	7.50         2.50         3.00         2.50         3.00         5.00         3.50 <t< td=""></t<>

AMYGDALUS persica rosea (Pink		Per 10 l vering	
10'-12' 2 to 3 ft 3 to 4 ft 4 to 5 ft	.25 .38 .48	$2.00 \\ 3.00 \\ 4.00$	 
BETULA (Birch)			
B. alba (European White Birch)			
6 to 8 ft. 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	.72	6.00 10.00	50.00 90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.	1.62	13.50	120.00
12 to 14 ft., $1\frac{3}{4}$ to 2 in. cal.	1.92	16.00	140.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal. 14 to 16 ft., $2\frac{1}{2}$ to 3 in. cal.		$\begin{array}{c} 20.00 \\ 25.00 \end{array}$	$175.00 \\ 225.00$
B. papyrifera (Paper or Canoe E			
4 to 5 ft	.48	4.00	
5 to 6 ft		5.00	•••••
6 to 8 ft 8 to 10 ft		7.50 10.00	
B. pendula laciniata (Cut Leaf			
30'-40' 6 to 8 ft., B&B	1.80	15.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.		40.00	
B&B 12 to 14 ft., 1 <sup>3</sup> / <sub>4</sub> to 2 in. cal.	4.00		•••••
B&B 2 to 2½ in. cal., B&B	7.20	60.00	
2 to 272 m. can, b&b	9.00	75.00	
CATALPA			
C. bungei (Umbrella Catalpa) 10			
1 yr. heads, 4 to 5 ft. stem		2.50	20.00
1 yr. heads, 5 to 6 ft. stem 2 yr. heads, 4 to 5 ft. stem		3.00 3.00	25.00 25.00
2 yr. heads, 5 to 6 ft. stem, $1\frac{1}{2}$	2		
in. cal., extra heavy	.42	3.50	30.00
in. cal., extra heavy		4.00	35.00
C. speciosa (Western Catalpa) 30'	-35′		
5 to 6 ft	.30	2.50	17.00
6 to 8 ft 8 to 10 ft		$\begin{array}{c} 3.00 \\ 5.00 \end{array}$	$\begin{array}{r} 25.00 \\ 40.00 \end{array}$
10 to 12 ft		7.50	
	E 01 00	,	
CELTIS occidentalis (Hackberry) 3 to 4 ft	50°-60 .55	4.50	40.00
4 to 5 ft	.68	5.50	50.00
5 to 6 ft		6.50	60.00
6 to 8 ft 8 to 10 ft		8.00 10.00	70.00
CERCIS canadensis (American Rec 20'-25'			s Tree)
6 to 8 ft 8 to 10 ft			
10 to 12 ft		20.00	•••••••
CLADRASTIS lutea (Yellowwood)	30'-5	0'	
2 to 3 ft	.90	7.50	•••••
3 to 4 ft 4 to 5 ft		10.00 12.50	•••••
5 to 6 ft	1.80	12.50	
6 to 8 ft	2.10	17.50	

Each Per 10 Per 100 CORNUS (Dogwood) C. florida (Whiteflowering Dogwood) 15'-25' 2 to 3.25.......... .50 3 to 4 ft..... 4.25 .......... .90 4 to5 ft..... 7.50 6 ft..... 1.18 5 to 9.75 6 to8 ft.2.0016.758 to10 ft.3.0025.0010 to12 ft.4.2035.0012 to14 ft.3to< $3\frac{1}{2}$  in. cal.15.0014 to16 ft. $3\frac{1}{2}$  to4in. cal.18.00 C. florida kousa (Kousa Dogwood) 16'-18' 4.50 .......... 5.50 .......... 8.50 ......... C. florida rubra (Redflowering Dogwood) 15'-25' 5.00 18 2 6.50 .....  $3\frac{1}{2}$ to 14.00 4 20.00 35.00 5 37.50 6 **CRATAEGUS** (Hawthorn) C. coccinea (Thicket Hawthorn) 12'-15' . . . . . . . . . ...... ..... C. oxyacantha (English Hawthorn) 15'-20' ..... C. oxyacantha pauli (Paul's Scarlet Thorn) 15'-20'

#### ..... ..... ...... C. prunifolia (Plumleaf Hawthorn) 25'-30' ..... .50..... ...... XTXXXXX

FRAXINUS americana (alba) (White Ash) 75'-	·100′
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.02 8.50	75.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 1.50 12.50	115.00
10 to 12 ft., 1 <sup>3</sup> / <sub>4</sub> to 2 in. cal. 2.10 17.50	150.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal 2.40 20.00	175.00
·	
GLEDITSIA triacanthos (Common Honeylocust)	60'-70'
5 to 6 ft	
6 to 8 ft	
8 to 10 ft	•••••
GYMNOCLADUS dioica (Kentucky Coffeetree)	
GIMNOCLADOS diolea (Kentucky Confectice)	50'-70'
	50'-70'
2 to 3 ft	
2 to 3 ft	•••••
2 to 3 ft	••••••
2 to 3 ft	

Each Day 10 D	an 100
Each Per 10 P LABURNUM vulgare (Goldenchain) 20'-30'	er 100
2 to 3 ft	
	55.00
4 to 5 ft 1.08 9.00	80.00
LARIX europaea (European Larch) 50'-60'	
6 to 8 ft., B&B	
8 to 10 ft., B&B 2.40 20.00 10 to 12 ft., B&B 3.60 30.00	•••••
	•••••
LIQUIDAMBAR styraciflua (Sweetgum) 75'-100'	
4 to 5 ft 1.08 9.00 5 to 6 ft 1.45 12.00	
8 to 10 ft	
10 to 12 ft	•••••
12 to 14 ft	00 22 5
per tree extra for sizes over 8 ft.	ια ψυ,υυ
LIRIODENDRON tulipifera (Tuliptree) 100'-150	)'
6 to 8 ft	•••••
8 to 10 ft 1.08 9.00	•••••
MAGNOLIA tripetala (Umbrella Magnolia) 30'	40'
2 to 3 ft., B&B	•••••
3 to 4 It., B&B 1.23	•••••
MALUS (Flowering Crab)	
M. atrosanguinea (Carmine Crab) 12'-15' 3 to 4 ft	35.00
3 to 4 ft	<b>45.00</b>
5  to  6  ft. .72 6.00	50.00
M. ioensis plena (Bechtel's Crab) 12'-16'	
2 to 3 ft	20.00
3 to 4 ft	35.00
4 to 5 ft	55.00
MORUS (Mulberry)	
M. alba pendula (Teas Weeping Mulberry) 8'	-10'
1 yr. heads, 5 to 6 ft. stems72 6.00 2 yr. heads, 5 to 6 ft. stems90 7.50	
M. alba tatarica (Russian Mulberry) 35'-50' 5 to 6 ft	
6  to  8  ft.	
PHOTINIA villosa (Christmasberry) 12'-15'	
2  to  3  ft 38 3 00	
3 to 4 ft	••••••
4 to 5 ft	••••••
PLATANUS (Planetree; Sycamore)	
P. occidentalis (American Planetree or Sycam	ore)
75'-100' 8 to 10 ft., 1 to 1¼ in. cal85 7.00	60.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.02 8.50	75.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 1.35 11.00	
10 to 12 ft.,1 <sup>3</sup> / <sub>4</sub> to 2 in. cal. 1.80 15.00	
P. orientalis (European or Oriental Planetree)	70'-80'
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00
P. orientalis (European or Oriental Planetree)           6 to 8 ft	70'-80' 35.00 50.00
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00 50.00
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00 50.00 70.00 90.00 115.00
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00 50.00 70.00 90.00 115.00 130.00
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00 50.00 70.00 90.00 115.00 130.00 175.00
P. orientalis (European or Oriental Planetree) 6 to 8 ft	70'-80' 35.00 50.00 70.00 90.00 115.00 130.00 175.00 225.00

Each Per 10 H	Per 100
POPULUS (Poplar)	
P. bolleana (Bolleana Poplar) 50'-60'	CO 00
6 to 8 ft	$\begin{array}{c} 60.00\\ 80.00\end{array}$
10 to 12 ft 1.35 11.00	100.00
	100.00
P. eugenei (Carolina Poplar) 75'-90'	10.00
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal55 4.50 12 to 14 ft., $1\frac{1}{2}$ to 2 in. cal85 7.00	40.00 60.00
12 to 14 ft., $1\frac{1}{2}$ to 2 in. cal85 7.00	00.00
P. lasiocarpa (Chinese Poplar) 50'-60'	
8 to 10 ft	28.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in. cal55 4.50	40.00
P. nigra italica (Lombardy Poplar) 60'-80'	•
5 to 6 ft., transplanted	20.00
6 to 8 ft., transplanted	30.00
8 to 10 ft	$\begin{array}{r} 35.00\\ 40.00\end{array}$
10 to 12 ft., heavy	<b>55.00</b>
12 to 15 ft., $1\frac{1}{2}$ to 2 in. cal90 7.50	65.00
PRUNUS (Flowering Plum and Cherry)	
	E1
P. cerasifera pissardi (Purpleleaf Plum) 12'-1 3 to 4 ft	ວ 
4  to  5  ft.	
5 to 6 ft	
P. tomentosa (Nanking Cherry) 6'-8'	
18  to  24  in 25 2.00	
2 to 3 ft	
P. triloba (Flowering Plum, tree form) 7'-8' 2 to 3 ft	
3  to  4  ft.	•••••
4 to 5 ft	
QUERCUS palustris (Pin Oak) 75'-100'	
5  to  6  ft. .72 6.00	
6 to 8 ft 1.02 8.50	
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal. 1.35 11.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.92 16.00	
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 2.52 21.00	•••••••••
9 to 11 ft., $1\frac{34}{10}$ to 2 in. cal. 3.42 28.50 11 to 12 ft., 2 to $2\frac{1}{2}$ in. cal. 4.62 38.50	•
· ·	
SALIX pentandra (Laurifolia) (Laurel Leaf Wi	llow)
20'-30' 5 to 6 ft	
6 to 8 ft	
8 to 10 ft	
SASSAFRAS variifolium (Common Sassafras)	30'-60'
18 to 24 in	
2 to 3 ft	••••••
3 to 4 ft	••••••
4 to 5 ft	••••••
SORBUS aucuparia (European Mountain-ash)	25'-30'
6  to  8  ft.	20-00
8 to 10 ft 1.20 10.00	
THILL amonicana (Amonican Timber) TEL OOL	
TILIA americana (American Linden)75'-90'6 to8 ft857.00	60.00
	80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.40 11.50 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{3}{4}$ in. cal. 1.80 15.00	100.00
10 to 12 ft., 1 <sup>1</sup> / <sub>2</sub> to 1 <sup>3</sup> / <sub>4</sub> in. cal. 1.80 15.00	
10 to 12 ft., 1 <sup>3</sup> / <sub>4</sub> to 2 in. cal. 2.40 20.00	

THE WESTMINSTER NURSERY

			Per 100
U. americana (American Elm) 8	30'-100	)'	
6 to 8 ft	42	3.50	30.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal.	72	6.00	50.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	85	7.00	60.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.		9.00	80.00
10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal.	. 1.35	11.00	100.00
12 to 14 ft., 2 to 2¼ in. cal.		16.00	140.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal.		20.00	175.00
$2\frac{1}{2}$ to 3 in. cal.		27.50	
3 to $3\frac{1}{2}$ in. cal.		35.00	
$3\frac{1}{2}$ to 4 in. cal.		42.50	
		1 1001	
U. americana molini (Moline Eli	m) $80$		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.		10.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.		15.00	
12 to 14 ft., 1 <sup>3</sup> / <sub>4</sub> to 2 in. cal.		17.50	• • • • • • • • • • • • • • • • • • • •
$2  \text{to } 2\frac{1}{4} \text{ in. cal}.$	. 3.00	25.00	
U. foliacea suberosa (Corkbark )	Elm)	50'-60'	
U. foliacea suberosa (Corkbark ) 4 to 5 ft.	Elm)	50'-60' 3.50	
4 to 5 ft	42	3.50	
4 to 5 ft 5 to 6 ft	42 55	3.50 4.50	
4 to 5 ft 5 to 6 ft 6 to 8 ft	42 55 68	3.50 4.50 5.50	·····
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft	42 55 68 90	3.50 4.50	
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft U. pumila (Chinese Elm) 50'-75'	42 55 68 90	$3.50 \\ 4.50 \\ 5.50 \\ 7.50$	······
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft U. pumila (Chinese Elm) 50'-75' 5 to 6 ft	42 55 68 90 60	3.50 4.50 5.50 7.50 5.00	40.00
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft U. pumila (Chinese Elm) 50'-75' 5 to 6 ft 6 to 8 ft	42 55 68 90 60 85	3.50 4.50 5.50 7.50 5.00 7.00	40.00
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft U. pumila (Chinese Elm) 50'-75' 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1 <sup>1</sup> / <sub>4</sub> in. cal.	42 55 68 90 60 85 . 1.08	3.50 4.50 5.50 7.50 5.00 7.00 9.00	40.00
4 to 5 ft 5 to 6 ft 6 to 8 ft 8 to 10 ft U. pumila (Chinese Elm) 50'-75' 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1 <sup>1</sup> / <sub>4</sub> in. cal. 8 to 10 ft., 1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in. cal.	42 55 68 90 60 85 . 1.08 . 1.50	3.50 4.50 5.50 7.50 5.00 7.00 9.00 12.50	40.00
4 to 5 ft 5 to 6 ft	42 55 68 90 60 85 . 1.08 . 1.50 . 1.68	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \end{array}$	40.00 60.00 80.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 55 68 90 85 . 1.08 . 1.50 . 1.68 . 2.05	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \\ 17.00 \end{array}$	40.00 60.00 80.00
$\begin{array}{c} 4 \text{ to } 5 \text{ ft.} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft.} \\ \end{array}$ $\begin{array}{c} \textbf{U. pumila (Chinese Elm) 50'-75'} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft., } 1 \text{ to } 1\frac{1}{4} \text{ in. cal.} \\ 8 \text{ to } 10 \text{ ft., } 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{1}{2} \text{ to } 1\frac{3}{4} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{3}{4} \text{ to } 2 \text{ in. cal.} \\ 2 \text{ to } 2\frac{1}{4} \text{ in. cal.} \\ \end{array}$	42 55 68 90 85 . 1.08 . 1.50 . 1.68 . 2.05 . 2.40	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \\ 17.00 \\ 20.00 \end{array}$	40.00 60.00 80.00
$\begin{array}{c} 4 \text{ to } 5 \text{ ft.} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft.} \\ \end{array}$ $\begin{array}{c} \textbf{U. pumila (Chinese Elm) 50'-75'} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft., } 1 \text{ to } 1\frac{14}{4} \text{ in. cal.} \\ 8 \text{ to } 10 \text{ ft., } 1\frac{14}{4} \text{ to } 1\frac{12}{2} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{14}{2} \text{ to } 1\frac{34}{4} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{34}{4} \text{ to } 2 \text{ in. cal.} \\ 2 \text{ to } 2\frac{14}{4} \text{ in. cal.} \\ 2\frac{14}{4} \text{ to } 2\frac{12}{2} \text{ in. cal.} \\ \end{array}$	42 55 68 90 85 . 1.08 . 1.50 . 1.68 . 2.05 . 2.40 . 3.00	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \\ 17.00 \\ 20.00 \\ 25.00 \end{array}$	40.00 60.00 80.00
$\begin{array}{c} 4 \text{ to } 5 \text{ ft.} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft.} \\ \end{array}$ $\begin{array}{c} \textbf{U. pumila (Chinese Elm) 50'-75'} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft., } 1 \text{ to } 1\frac{1}{4} \text{ in. cal.} \\ 8 \text{ to } 10 \text{ ft., } 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{1}{2} \text{ to } 1\frac{3}{4} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{3}{4} \text{ to } 2 \text{ in. cal.} \\ 2 \text{ to } 2\frac{1}{4} \text{ in. cal.} \\ \end{array}$	42 55 68 90 85 . 1.08 . 1.50 . 1.68 . 2.05 . 2.40 . 3.00	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \\ 17.00 \\ 20.00 \end{array}$	40.00 60.00 80.00
$\begin{array}{c} 4 \text{ to } 5 \text{ ft.} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft.} \\ \end{array}$ $\begin{array}{c} \textbf{U. pumila (Chinese Elm) 50'-75'} \\ 5 \text{ to } 6 \text{ ft.} \\ 6 \text{ to } 8 \text{ ft.} \\ 8 \text{ to } 10 \text{ ft., } 1 \text{ to } 1\frac{14}{4} \text{ in. cal.} \\ 8 \text{ to } 10 \text{ ft., } 1\frac{14}{4} \text{ to } 1\frac{12}{2} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{14}{2} \text{ to } 1\frac{34}{4} \text{ in. cal.} \\ 10 \text{ to } 12 \text{ ft., } 1\frac{34}{4} \text{ to } 2 \text{ in. cal.} \\ 2 \text{ to } 2\frac{14}{4} \text{ in. cal.} \\ 2\frac{14}{4} \text{ to } 2\frac{12}{2} \text{ in. cal.} \\ \end{array}$	42 55 68 90 85 . 1.08 . 1.50 . 1.68 . 2.05 . 2.40 . 3.00 . 3.60	$\begin{array}{r} 3.50 \\ 4.50 \\ 5.50 \\ 7.50 \\ \hline \\ 5.00 \\ 7.00 \\ 9.00 \\ 12.50 \\ 14.00 \\ 17.00 \\ 20.00 \\ 25.00 \end{array}$	40.00 60.00 80.00

## Nut Trees

Each Per 10 Per 100

		TELTO	1 61 100
CORYLUS avellana (Filbert) 10'-15	5		
2 to 3 ft	.38	3.00	••••••
3 to 4 ft		4.50	
4 to 5 ft	.72	6.00	
JUGLANS (Walnut)			
J. nigra (Black Walnut) 80'-100'			
3 to 4 ft	.48	4.00	
4 to 5 ft		5.00	
5 to 6 ft		6.00	
		001	
J. sieboldiana (Japanese Walnut)			
5 to 6 ft	.72	6.00	
6 to 8 ft	.90	7.50	
8 to 10 ft			
0 10 10 10	1.00	3.00	*********

## Deciduous Shrubs

Prices quoted on Deciduous Shrubs are for plants dug with bare roots except as noted. Additional charge made to ball and burlap deciduous shrubs.

ACANTHOPANAX pentaphyllum			
(Fiveleaf Aralia) 7'-8'			Per 100
18 to 24 in			
2 to 3 ft	25	2.00	
ALTHAEA (Althea; Hibiscus; Ro		Sharon)	
A. amplissima. 10'-12' Double 1 18 to 24 in		1.00	
2  to  3  ft.			•••••
	10	1.90	*********

Each	Per 10	Per 100
A. anemonaeflorus. 10'-12' Double pur 18 to 24 in	ple. 1.00 1.50	
A. Jeanne d'Arc.         10'-12'         Double white           18 to 24 in.         .12           2 to 3 ft.         .18	1.00 1.50	
A. peaone flore. 10'-12' White with red 18 to 24 in	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	· 
AMORPHA fruticosa (Indigobush)       8'-10         2 to 3 ft.       .15         3 to 4 ft.       .20         4 to 5 ft.       .28		10.00 15.00 20.00
5 to 6 ft	3.00	25.00
ARONIA         melanocarpa         (Black Chokeber           18 to 24 in	ry) 8-1 2.00 2.50 3.50	17.50 20.00 30.00
AZALEA mollis (Deciduous Chinese Az 8 to 10 in. B&B	alea) 4 5.50	ł'-6'
10 to 12 in. B&B	6.50 8.00	
BENZOIN aestivale (Spicebush) 10'-12' 18 to 24 in	2.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.00 3.00 4.00	
BERBERIS (Barberry) Per		
Each 10 B. thunbergi (Japanese Barberry) 5'-	100 7'	
Sturdy 2 yr. Lining Out Seedlings 6000-2 to 3 in		2.25
10000-3 to 6 in 15000-6 to 9 in		
10000-9 to 12 in B. thunbergi (Japanese Barberry) 5'-	-7'	
8 to 12 in. 2 yr07 .60 12 to 15 in., 2 yr08 .70 15 to 18 in., 3 yr10 .85 18 to 24 in., 3 yr12 1.00	5.00 5.50	40.00 50.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9.00	55.00 70.00
2 to 2½ ft., 3 yr18 1.50 B. thunbergi atropurpurea (Japanese	Red L	eaf Bar-
berry) 5'-6' Each 8 to 12 in. 1 yr	Per 10 .70	Per 100 6.00
10 to 12 in	.80	7.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	<b>1.2</b> 5	10.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.00	17.50
B. thunbergi minor (Box Barberry) 2	<b>'-</b> 3'	
9 to 12 in	3 1.50	12.00
15 to 18 in		
B. wilsonae (Wilson Barberry) 5'-6' 12 to 15 in	) 1.75	5 15.00

I	Each H	Per 10 ]	Per 100
BUDDLEIA davidi magnifica (Butt	erflyb	ush) 1(	
18 to 24 in., medium	.20 .28	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	15.00 18.00
2 to 3 ft., 2 yr. No. 1 3 to 4 ft., 3 yr. heavy	.28	3.00	25.00
CALLICARPA purpurea (Chinese	Beau	tyberry	) 4'-5'
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	20.00
CALYCANTHUS floridus (Sweetsh	rub) 6	5'-8'	0.00
12 to 18 in 18 to 24 in	.12 .15	$1.00\\1.25$	8.00 10.00
2 to 3 ft	.20	1.75	15.00
3 to 4 ft	.35	2.75	
CARYOPTERIS incana (Blue Spire			
12 to 18 in 18 to 24 in	.25 .30	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	17.50 20.00
2 to 3 ft	.38	3.00	25.00
CEPHALANTHUS occidentalis (Bu	ittonhi	umb) 8'	10'
18 to 24 in		<b>1.50</b>	12.00
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	20.00
CHIONANTHUS virginica (White			15'-18'
12 to 18 in 18 to 24 in		2.50 3.25	
			·····
COLUTEA arborescens (Common 10'-12'	Bladde	er-senn	а)
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	•••••
CORNUS (Dogwood)	101		
C. amomum (Silky Dogwood) 8'- 18 to 24 in	.15	1.25	10.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.20	1.75	15.00
C. baileyi (Bailey Dogwood) 8'-10		150	10.00
2 to 3 ft	.18	1.50	12.00
C. sanguinea (Bloodtwig Dogwoo 12 to 18 in		-12 <sup>°</sup> 1.00	8.00
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50
3 to 4 ft		2.50	20.00
C. stolonifera (Red-osier Dogwoo 18 to 24 in	d) 8'-1 <b>.12</b>	1.00 <b>1.00</b>	8.00
2  to  3  ft.		1.50	12.00
3 to 4 ft	.25	2.00	17.50
C. stolonifera flaviramea (Goldent	twig I		
18 to 24 in 2 to 3 ft		1.50 2.00	12.00
3 to 4 ft		2.00	
CORONILLA emerus (Scorpion-sen		<b>'-9'</b>	
18 to 24 in	.18	1.50	12.00
CRATAEGUS-See Deciduous and	Flowe	ring T	rees.
CYDONIA japonica (Japanese Flov	vering	Quince	e) 3'-4'
8 to 12 in	.12	1.00	8.00
12 to 18 in 18 to 24 in		1.25 1.50	10.00 12.00
2 to 3 ft		2.00	17.50
5 of a variety at 10 rate: 25 of a r		-+ 104	

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

H

H

	Each	Per 10	Per 100
DEUTZIA			
D. gracilis (Slender Deutzia) 3'-	4'	1 00	0.00
8 to 12 in 12 to 15 in		1.00 1.50	8.00 12.00
12 to 15 m		1.50	12.00
D. gracilis rosea (Rose Panicle	Deutz	ia) 3'-4 1.75	
15 to 18 in 18 to 24 in		2.00	
		2.00	
D. lemoinei (Lemoine Deutzia) 12 to 18 in	4′-5′ 	1.00	
12   10   18   11 18   to   24   in		1.50	••••••
$2$ to $2\frac{1}{2}$ ft		2.00	
$2\frac{1}{2}$ to $3$ ft	30	2.50	•••••
D. scabra candidissima (Snowfla	ke D	eutzia)	8'-10'
18 to 24 in	12	1.00	8.00
2 to 3 ft		1.50	12.00
3 to 4 ft 4 to 5 ft		2.00 2.50	17.50
4 to 5 ft 5 to 6 ft		2.50	20.00 25.00
6 to 7 ft		3.50	30.00
D. scabra crenata flore-pleno (D	ouble	Pink I	Deutzia)
6'-8' 18 to 24 in	12	1.00	8.00
2  to  3  ft.		1.50	12.00
3 to 4 ft	25	2.00	17.50
4 to 5 ft	30	2.50	20.00
5 to 6 ft	38	3.00	25.00
D. scabra fortunei (Fortune Deu	tzia)	6'-8'	
18 to 24 in.	12	1.00	8.00
2 to 3 ft	18	1.50	12.00
3 to4 ft		2.00	17.50
4 to 5 ft 5 to 6 ft.		2.50 3.00	20.00 25.00
5 to 6 ft 6 to 7 ft	30	3.50	30.00
D. scabra Pride of Rochester (P	ink D		
18 to 24 in 2 to 3 ft		1.00 1.50	8.00 12.00
3 to 4 ft		2.00	17.50
4 to 5 ft		2.50	20.00
5 to 6 ft	38	3.00	25.00
	01	1 4 10 1	10/
ELAEAGNUS angustifolia (Russia 3 to 4 ft		ve) 15 2.50	
4  to  5  ft.		3.25	••••••
5 to 6 ft	55	4.50	
6 tỏ 8 ft	72	6.00	
EUONYMUS	1		
E. alatus (Winged Euonymus) 8 18 to 24 in.		2.00	
2  to  3  ft.	25 30	2.00	
3 to 4 ft	48	4.00	
4 to 5 ft	60	5.00	
5 to 6 ft	90	7.50	•••••
E. americanus (Brook Euonymus	s) 7'-8	3'	
2 to 3 ft	.30	2.50	
3 to 4 ft	48	4.00	
4 to 5 ft 5 to 6 ft.		5.00 7.50	*********
5 to 6 ft	90	1.50	•••••

	och T		on 100
E. atropurpureus (Wahoo Euonym		Per 10 P 20'-25'	er 100
18 to 24 in.	.25	2.00	
2 to 3 ft	.30	2.50	•••••
3 to 4 ft	.48	4.00	•••••
4 to 5 ft 5 to 6 ft	.60 .90	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	•••••
E. europaeus (European Burningh	.25	12'-16' 2.00	
18 to 24 in 2 to 3 ft	.25	2.00	
3 to 4 ft	.48	4.00	
4 to 5 ft	.60	5.00	
5 to 6 ft	.90	7.50	•••••
EXOCHORDA grandiflora (Commo	n Pe	arlbush	) 6'-9'
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.15	1.25	10.00
3 to 4 ft 4 to 5 ft	.20 .30	$\begin{array}{r} 1.75 \\ 2.50 \end{array}$	$\begin{array}{r} 15.00\\ 20.00 \end{array}$
5 to 6 ft	.30	2.50	20.00
	• • •	0.00	•••••
FORSYTHIA E intermedia (Bandan Eansythia)	6'-9	,	
F. intermedia (Border Forsythia) 18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft 6 to 7 ft.	$.38 \\ .42$	$\begin{array}{c} 3.00\\ 3.50 \end{array}$	25.00
F. intermedia spectabilis (Showy 6'-8'	Bord	er Fors	sythia)
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	
F. suspensa (Weeping Forsythia)	6'-8'		
2 to 3 ft	.18	1.50	•••••
F. suspensa fortunei (Fortune Fo		ia) 6'-8	
18 to 24 in 2 to 3 ft.	.12	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	8.00
2 to 3 ft 3 to 4 ft	.18 .25	2.00	12.00 17.50
4 to 5 ft	.30	2.50	20.00
F. viridissima (Greenstem Forsyt	hia)	7'_8'	
18 to 24 in.	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft 5 to 6 ft	.30	2.50	20.00
5 to 6 ft 6 to 7 ft	.38 .42	$\begin{array}{c} 3.00 \\ 3.50 \end{array}$	25.00 30.00
HAMAMELIS virginiana (Common 12'-16'	Wite	ch-hazel	.)
12 -16 18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.38	3.00	
HIBISCUS syriacus—See Althaea			
HYDRANGEA			
H. arborescens grandiflora (Hills	of	Snow U	Ivdran
gea) 4'-5'	01 )	Show n	yuran-
12 to 18 in	.12	1.00	8.00
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50

T		<b>D 1</b> 0	D 100
		Per 10	
H. paniculata grandiflora (Peege	e Hy		
12 to 18 in 18 to 24 in	.12	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	8.00
2  to  3  ft.	.18	2.00	$\begin{array}{r} 12.00\\ 17.50 \end{array}$
2 to 3 ft 3 to 4 ft		2.00 2.50	20.00
5 10 4 11	.00	2.00	20.00
KOLKWITZIA amabilis (Beautybus	sh) 6	'-8'	
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.38	3.00	25.00
LESPEDEZA			
L. bicolor (Shrub Bushclover) 8'-			
2 to 3 ft	.18	1.50	13.50
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
L. formosa (Purple Bushclover)	6'-7'		
3 to 4 ft., 3 yr. No. 1		2.50	
4 to 5 ft., 4 yr. No. 1	.40	3.25	
		0.20	
	$\mathbf{Per}$	$\mathbf{Per}$	$\mathbf{Per}$
Each	10	100	1000
LIGUSTRUM (Privet)			
L. amurense (Amur River North			
12 to 18 in	.40	3.00	25.00
18 to 24 in	.60	4.00	35.00
2 to 3 ft	.90	7.00	60.00
L. ibota (Ibota Privet) 8'-10'			
18 to 24 in	.85	6.50	
	.90	7.00	60.00
$\frac{2}{3}$ to $4$ ft	1.20	10.00	80.00
			00.00
		Per 10	Per 100
H	Lach	Per 10	Per 100
H L. ibota regelianum (Regel Prive	Each t) 4'-	Per 10 1 6'	Per 100 12.00
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	Lach t) 4'- .18	Per 10 1 6' 1.50	
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy	Each t) 4'- .18 .25 .35	Per 10 .6' <b>1.50</b> 2.00 2.75	$12.00 \\ 17.50 \\ 22.50$
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy	Each t) 4'- .18 .25 .35	Per 10 .6' <b>1.50</b> 2.00 2.75	12.00 17.50
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy	Each t) 4'- .18 .25 .35 .42	Per 10 .6' 2.00 2.75 3.50	$12.00 \\ 17.50 \\ 22.50$
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy L. ovalifolium (California Privet)	Each t) 4'- .18 .25 .35 .42 10'-1	Per 10 1 .6' <b>1.50</b> 2.00 2.75 3.50	12.00 17.50 22.50 30.00
H         L. ibota regelianum (Regel Prive         3 yr., 12 to 18 in	Each t) 4'- .18 .25 .35 .42 10'-1	Per 10 1 .6' <b>1.50</b> 2.00 2.75 3.50	12.00 17.50 22.50 30.00
H L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy L. ovalifolium (California Privet)	Each t) 4'- .18 .25 .35 .42 10'- back	Per 10 1 .6' 2.00 2.75 3.50 15' for but	12.00 17.50 22.50 30.00
H         L. ibota regelianum (Regel Prive         3 yr., 12 to 18 in	Each t) 4'- .18 .25 .35 .42 10'-1 back Per	Per 10 1 .6' 2.00 2.75 3.50 15' for but Per	12.00 17.50 22.50 30.00 shiness Per
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back	Per 10 1 .6' 2.00 2.75 3.50 15' for but	12.00 17.50 22.50 30.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10	Per 10 1 .6' 2.00 2.75 3.50 15' for but Per 100	12.00 17.50 22.50 30.00 shiness Per 1000
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'-1 back Per	Per 10 1 .6' 2.00 2.75 3.50 15' for but Per	12.00 17.50 22.50 30.00 shiness Per
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10	Per 10 1 .6' 2.00 2.75 3.50 15' for but Per 100	12.00 17.50 22.50 30.00 shiness Per 1000
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75	12.00 17.50 22.50 30.00 shiness Per 1000 16.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60	Per 10 1 .6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20	Per 10 1 .6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78	Per 10 1 .6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00	Per 10 1 .6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
<ul> <li>L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up 2 yr., 18 to 24 in., 4 branches and up, extra heavy 3 yr., 2 to 3 ft., 4 branches and up 4 yr., 3 to 4 ft., 6 branches and up, extra heavy 5 yr., 4 to 5 ft., extra heavy 5 yr., 5 to 6 ft., extra heavy specimen 5 pecial prices on car lot orders</li> </ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 Each	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 J	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
<ul> <li>L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 Each	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 J	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 Cach 2 en Ca	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I difornia	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 Each Each Sach Each Sach I Sach 15	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 H lifornia 1.25	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00 
<ul> <li>H. ibota regelianum (Regel Prive 3 yr., 12 to 18 in 3 yr., 18 to 24 in. heavy 3 yr., 2 to 2½ ft. heavy 3 yr., 2½ to 3 ft. heavy</li> <li>L. ovalifolium (California Privet) All of our plants have been cut and strength.</li> <li>2 yr., 12 to 18 in., 3 branches and up</li></ul>	Each t) 4'- .18 .25 .35 .42 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 Cach 2 en Ca	Per 10 1 6' 1.50 2.00 2.75 3.50 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I difornia	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00

E	ach P	er 10 P	er 100
LONICERA (Honeysuckle, bush typ	es)		
L. fragrantissima (Winter Honey 18 to 24 in	suckle	) 6'-8' 1.50	
2  to  3  ft.	.10	1.75	•••••
3 to 4 ft		2.50	
L. maacki podocarpa (Late Hone)	ysuckl	e) 9'-1	2′
2 to 3 ft	.25	2.00	
L. morrowi (Morrow Honeysuckle	) 7'-8		
2 to 3 ft 3 to 4 ft	.18	1.50 2.00	12.00
3 to 4 ft 4 to 5 ft	.25 .30	2.00	17.50 20.00
5 to 6 ft	.38	3.00	25.00
L. syringantha (Lilac Honeysuck)	le) 4'-	5'	
18 to 24 in	.40	3.25	
2 to 3 ft	.48	4.00	
L. tatarica alba (White Tatarian 1			
18 to 24 in 2 to 3 ft	.15 .18	$1.25 \\ 1.50$	10.00 12.00
3 to 4 ft	.18	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
L. tatarica siberica (Red Tatarian 8'-10'	Hone	eysuckl	e)
18 to 24 in	.15	1.25	10.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft 4 to 5 ft	.25 .30	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	17.50 20.00
		25'-30'	20.00
MYRICA cerifera (Southern Waxm) 12 to 18 in., B&B	.38	23 - 30 <b>3.00</b>	
18 to 24 in., B&B	.48	4.00	********
PHILADELPHUS (Mockorange)			
P. coronarius (Sweet Mockorange)			
18 to 24 in	.15	1.25	•••••
2 to 3 ft 3 to 4 ft	.18 .25	$\begin{array}{r} 1.50 \\ 2.00 \end{array}$	
4  to  5  ft.	.30	2.50	
5 to 6 ft	.42	3.50	
6 to 7 ft		4.00	•••••
P. grandiflorus (Big Scentless M			'-10'
2 to 3 ft 3 to 4 ft	.18 .25	$\begin{array}{r} 1.50 \\ 2.00 \end{array}$	12.00
3 to 4 ft 4 to 5 ft	.25 .30	2.00	17.50 20.00
• 5 to 6 ft	.38	3.00	25.00
P. virginal (Virginal Mockorange	) 7'-8	,	
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	
PHYSOCARPOS (Ninebark)		~*	
P. opulifolius (Common Ninebark 3 to 4 ft			12.00
4 to 5 ft	.18 .25	$\begin{array}{r} 1.50 \\ 2.00 \end{array}$	17.50
5 to 6 ft	.30	2.50	20.00
P. opulifolius aureus (Goldleaf N	nebar	·k) 8'-1	0'
2 to 3 ft	.18	1.50	12.00
3 to $4$ ft	.25	2.00	17.50
4 to 5 ft 5 to 6 ft	.30 .38	2.50 3.00	20.00 25.00
	.00	0.00	10.00
POTENTILLA (Cinquefoil) P. fruticosa (Shrubby Cinquefoil)	3'-1'		
12 to 18 in	.18	1.50	
18 to 24 in	.25	2.00	••••••

•

E	ach P	'er 10	Per 100
P. fruticosa veitchi (Veitch Cinqu 15 to 18 in	efoil) .25	3'-4' 2.00	
RHAMNUS caroliniana (Carolina B	ucktho	orn) 2	25'-30'
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	•••••
4 to 5 ft 5 to 6 ft	.38 .48	3.00 4.00	
			•••••
RHODOTYPOS kerrioides (Jetbead)			
18 to 24 in 2 to 3 ft	.18 .25	1.50 2.00	
3 to 4 ft	.20	2.50	
RHUS (Sumac)	<b>4'-5'</b>		
R. canadensis (Fragrant Sumac) 18 to 24 in	4 -5 .20	1.75	
2  to  3  ft.	.30	2.50	
R. cotinus (Common Smoketree; 12'-15'	Purpl	e Fri	nge)
2 to 3 ft	.38	3.00	
3 to 4 ft	.48	4.00	•••••
4 to 5 ft 5 to 6 ft	.72 .90	6.00 7.50	•••••
6 to 8 ft		12.50	
		14.00	•••••
ROBINIA hispida (Rose-acacia) 5'-7	-	9.00	
18 to 24 in 2 to 3 ft	.25 .38	2.00 3.00	
RUBUS odoratus (Flowering Rasph 18 to 24 in		5'-7' 2.00	
2  to  3  ft.		2.50	
SAMBUCUS canadensis aurea (Gold			
Elder) 10'-12'	len Ai	nerica	t f I
2 to 3 ft	.25	2.00	
3 to 4 ft	.38	3.00	
4 to 5 ft	.48	4.00	
5 to 6 ft	.60	5.00	•••••
SORBARIA sorbifolia (Ural False-s			0′
2 to 3 ft 3 to 4 ft	.25 .38	2.00 3.00	•••••
	.00	9.00	••••••
SPIRAEA (Spirea) S. Anthony Waterer (Anthony Wa	atoror	Snir	a) 3'-1'
15 to 18 in	.18	<b>1.50</b>	ea) 5-4
18 to 24 in	.25	2.00	17.50
2 to $2\frac{1}{2}$ ft	.38	3.00	•••••
S. arguta (Garland Spirea) 4'-6'			
2 to 3 ft	.25	2.00	
S. billiardi (Billiard Rosea Spirea	) 4'-6	1	
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft 4 to 5 ft	.25 .30	2.00 2.50	17.50 20.00
			20.00
S. billiardi alba (White Billiard S 18 to 24 in	$p_1rea)$	4'-6' 1.00	8.00
2  to  3  ft.	.12	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
S. fortunei (Fortune Spirea) 3'-4'			•
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00

- - -

Each Per 10	
S. japonica (Callosa alba) (Fortune Spirea) 18 to 24 in	
2 to 3 ft	17.50
3  to  4  ft. .30 2.50	20.00
S. prunifolia (Bridal Wreath) 7'-8' 12 to 18 in	
18 to 24 in18 1.50	)
S. reevesiana (Reeves Spirea) 6'-8' 18 to 24 in	10.00
2 to 3 ft	12.00
3 to 4 ft	
5 to 6 ft	
S. thunbergi (Thunberg Spirea) 4'-5'	10.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 <sup>1</sup> / <sub>2</sub> to 3 ft	
S. tricocarpa (Korean Spirea) 5'-6'	25.00
2 to 3 ft	
3 to 4 ft	20.00
S. vanhouttei (Vanhoutte Spirea) 6'-9' 2 to 3 ft	8.00
3 to 4 ft	
SYMPHORICARPOS	
S. racemosus (White Snowberry) 4'-6' 18 to 24 in	8.00
2 to 3 ft	$12.00 \\ 17.50$
3 to 4 ft	17.00
18 to 24 in	
2 to 3 ft	12.00 17.50
SYRINGA (Lilac)	2000
S. villosa (Late Lilac) 7'-8'	0.00
18 to 24 in	
3 to 4 ft	•••••
S. vulgaris (Common Purple Lilac) 12'-15' 18 to 24 in	8.00
2 to 3 ft	12.00
3 to 4 ft	17.50
S. vulgaris alba (Common White Lilac) 12'-1 12 to 18 in	5'
18 to 24 in	17.50
S. vulgaris French Lilacs. 6'-12'	
Named Varieties Alexander Humboldt. Reddish Purple.	
Belle de Nancy. Light, violet-red, double.	
Charles the Tenth. Reddish-purple, single. Emile Lemoine. Double, rosy lilac.	
Michel Buchner. Double, pale pink. President Grevy. Blue violet to soft pink,	double
Princess Alexandria. Single white, large p	anicles.
Rathmogensis. Single red.	
Souv. de Ludwig Spaeth. Single dark red. Wm. Robinson. Double violet, pink.	
18 to 24 in	
2 to 3 ft	•••••

		Per 10 P	er 100
TAMARIX africana (African Tamari			12.00
	.18 .25	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	12.00
	.20	2.50 2.50	
VIBURNUM	l	(1 - 1)	1.07
V. americanum (American Cranber 18 to 24 in	.18	1.50	
	.25	2.00	
V. carlesi (Fragrant Viburnum) 4'			
15 to 18 in. B&B	.90	7.50	
V. dentatum (Arrowwood) 10'-12' 18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	
V. lantana (Wayfaring-tree) 14'-10	6'		
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
V. lentago (Nannyberry) 18'-20'			
18 to 24 in	.25	2.00	• • • • • • • • • • • • • • • • • • • •
2 to 3 ft	.30	2.50	•••••
3 to 4 ft	.38	3.00	•••••
V. molle (Kentucky Viburnum) 10	) <b>'-1</b> 2	7	
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	•••••
V. opulus (European Cranberrybu	sh)	9'-10'	
12 to 18 in	.12	1.00	8.00
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50
V. opulus sterile (Common Snowba	all)		
18 to 24 in			12.00
2 to 3 ft		2.00	17.50
V. tomentosum plicatum (Japane	ese	Snowball	) 7'-8'
18 to 24 in 2 to 3 ft	.30	$\begin{array}{c} 2.50 \\ 3.00 \end{array}$	20.00 25.00
VITEX negundo incisa (Cutleaf Cha	ste-	tree) 12'-	-15'
2 to 3 ft 3 to 4 ft			
4  to  5  ft			
	• T 44	0.00	00.00
WEIGELA (DIERVILLA)			
W. Eva Rathke (Redflowered Wei			10.00
12 to 18 in 18 to 24 in		$\begin{array}{r} 1.50 \\ 2.00 \end{array}$	12.00 17.50
2  to  3  ft.			20.00
3 to 4 ft			30.00
W. floribunda (Common Crimson 2 to 3 ft	we.25		
2 to 3 ft 3 to 4 ft	.20		
W. nana variegata (Dwarf Varieg	atec	1 Weigela	
18 to 24 in 2 to 3 ft	.10	$\begin{array}{r} 1.50 \\ 2.00 \end{array}$	
	.20		
W. rosea (Pink Weigela) 6'-8' 18 to 24 in	.12	1.00	8.00
2  to  3  ft.	.12		12.00
	.25		17.50
4 to 5 ft			20.00

## Roses

#### For Spring 1936 Delivery

We have a fine assortment of sturdy specimen 2 yr. No. 1 Roses, either potted in 7 and 8 inch pots or dormant.

HYBRID TEA ROSES	Each	Per 10	Per 100
Dormant 2 yr. No. 1	.35	3.00	27.50
Potted 2 yr. No. 1	.45	4.00	35.00

#### Varieties

Betty. Copper, rose-gold, moderately double. Betty Uprichards. Semi-double, salmon-pink stained

with copper-pink.

Briarcliff. Deep rose-pink, moderately double.

Chas. K. Douglas. Flaming scarlet, double. Dame Edith Helen. Pure glowing pink, very double.

Duchess of Wellington. Saffron yellow. E. G. Hill. Dazzling scarlet, double.

Etoile de France. Crimson velvet.

Vivid yellow, shaded apricot, Feu Joseph Looymans.

long pointed buds. Francis Scott Key. Crimson, very large, very double. Frau Karl Druschki (H.P.). Large white; vigorous.

General MacArthur. Crimson scarlet, double.

Golden Emblem. Very fine yellow, double. Golden Ophelia. Bright golden yellow. Golden Pernet. Rich golden yellow. J. J. L. Mock. Clear pink.

Joanna Hill. Clear yellow, double. Kaiserin Auguste Viktoria. Double, pure white.

Killarney. Pink.

Lady Ashtown. Soft rose, shading to yellow at base.

Los Angeles. Flame pink, shaded with gold at base of petals.

Mme. Butterfly. Bright light pink, shaded with gold.

Mme. Edouard Herriot. Bright orange-pink, shaded gold.

Mrs. A. A. Barraclough. Carmine pink.

Aaron Ward. Indian yellow, very floriferous, Mrs.

Mrs. Aaron ward. Indian yellow, for a long double.
Mrs. Chas. Bell. Soft pink, large.
Mrs. E. P. Thom. Lemon yellow, free-flowering, double.
Mrs. Henry Bowles. Clear pink with lighter shades.
Mrs. Henry Morse. Very handsome, soft flesh-cream suffused with vermilion.
President Hoover. Orange and pink to coppery red.
Radiance Pink. Brilliant rosy-carmine, displaying beautiful rich and opaline-pink tints in the open flower. flower.

Radiance Red. Bright, cheerful, even shade of red. Rev. F. Page Roberts. Copper-red buds opening to golden yellow, stained outside with red, full double. Souv. de Georges Pernet. Brick-red opening to terra-

cotta-pink, immense, very double. Sunburst. Orange-copper and golden yellow. Talisman. Exquisite shadings of gold, apricot, yellow and deep pink or old rose. Willowmere. Coral red suffused with carmine, opening

to shaded yellow and flushed carmine-pink.

POLYANTHA or Baby RosesEach Per 10 Per 100Dormant 2 yr. No. 1.35Potted 2 yr. No. 1.45George Elger.Copperish golden-yellow to pale yellow.Golden Salmon.Reddish-orange blooms.
Ideal. Double, red flowers in panicles. Best vari- ety for cutting.
RAMBLER AND CLIMBING ROSES
Each Per 10 Per 100 Dormant 2 yr. No. 1
Excelsa. Bright crimson flowers in large clusters. Gardenia. Rich creamy yellow flowers. Wichuraiana. A fine ground-cover with glossy leaves and clusters of starry white flowers.
ROSE SPECIES         Each Per 10         Per 100           Dormant 2 yr. No. 1         .35         3.00         25.00
Blanda (Meadow Rose) 4'-6'. Single, fragrant, rose-pink flowers in May and June, followed by glittering red fruit; almost thornless.
Hugonis (Golden Rose of China) 5'-6'. Fragrant saucer-like flowers at lilac-time. A very de- sirable border rose.
Palustris (Swamp Rose) 6'-8'. An excellent hedge or bank rose; pink flowers from June to Au- gust.
Rubiginosa (Sweetbrier) 5'-6'. Bright pink flow- ers in June; good foliage with aromatic odor.
Rubrifolia (Redleaf Rose) 5'-6'. Handsome purplish red foliage and tiny pink flowers. Makes a good winter subject.
Rugosa (Rugosa Rose) 4'-5'. A handsome shrub with large pink flowers from June to Septem- ber; large, conspicuous red fruits; rich green foliage. Useful in the shrubbery border, in the hedge or on banks.
Setigera (Prairie Rose) 5'-6'. Bright pink flowers, valuable on rocky slopes and wasteland.
Climbing Vines
Each Per 10         Per 100           AKEBIA quinata (Fiveleaf Akebia)         15'-20'           2 yr. No. 1
AMPELOPSIS
A. heterophylla (Porcelain Ampelopsis)         30'-40'           2 yr. No. 1         .18         1.50         12.00           3 yr. No. 1         .35         2.75

А.	tricuspidata veitchi (Japanese		er 10 H	
	Ivy) 40'-50' 2 yr. Medium 2 yr. No. 1	.15 .18	1.25 1.50	
BIGN	NONIA radicans (Scarlet Trur			umpet-
	creeper) 30'-50' 2 yr. No. 1			
CEL	ASTRUS scandens (American E	Bitters	sweet)	20'-25'
	1 yr. No. 1 2 yr. No. 1	.15	1.25	10.00
CLE	MATIS			
-	montana grandiflora (Anemone 3 in pots	e Clei .20	matis) <b>1.7</b> 5	20′-25′ 15 <b>.00</b>
C.	paniculata (Sweet Autumn Cle 2 yr. No. 1	matis .18	) 20'-2 1.50	5′ 12.00
C.	viticella (Italian Clematis) 12'- 2 yr. No. 1	15' .15	1.25	10.00
HED	DERA (Ivy)			
	coriacea (Korean Ivv) 4'-6'			
	2¼ in. pots	.10	.90	7.00
		.30	2.30	20.00
Н.	helix (English Ivy) $60'-70'$ $2\frac{1}{4}$ in. pots	07	65	5.00
			1.50	
н	helix baltica (Hardy Baltic Ivy	() 25'	-30'	
	$2\frac{1}{4}$ in. pots	.10	.90	7.00
	4 in. pots heavy	.30	2.50	20.00
H.	helix gracilis (Miniature Engl	ish I	vy) 75	-100′
	2 in. pots	.06	.50	4.00
DITO	-			14.00
EUC	NYMUS—See Broadleaved Ev	ergre	ens.	
	MINUM (Jasmine)	,		
J.	nudiflorum (Winter Jasmine) 4 2 yr. No. 1	-ə .25	2.00	
т	primulinum (Primrose Jasmine			••••
ป.	2 yr. No. 1.	.20	1.75	15.00
LON	ICERA sempervirens (Redflowe			
1.01	15' 90'	-		
	2 yr. No. 1	.20	1.75	·····
VIN	CA (Periwinkle or Myrtle)- Evergreens.	—See	Broa	dleaved
VIT	IS coignetiae (Gloryvine) 20'-25 3 yr. No. 1		3.00	••••••••
WIS	TERIA			
	. multijuga (Longcluster Wister 3 yr. No. 1, 2 to 3 ft	ria) 3 .42	30'-50' 3.50	
·w	. sinensis (Blue or Purple Chine			
	2 yr. No. 1	.25	2.00	17.50
	3 yr. No. 1	.30	2.50	20.00

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

## Hardy Perennial and Rock Plants

This list of Hardy Herbaceous and Alpine Plants represents the results of the infinite care, time and patience we exercised to accumulate and establish a varied and satisfactory stock of plants that would be suitable to meet the most exacting planting requirements. The plants here listed have proven their hardiness and adaptability. For Fall most of the plants offered are transplanted field grown; for Spring most of the varieties will be well established in 3 inch pots in addition to field grown plants.

The varieties marked with a star (\*) are suitable for Rock Gardens. Each Per 10 Per 100

ACHILLEA (Yarrow) —filipendula. 4 ft. Excellent border plant. Flat heads of golden yellow flowers profusely borne from June to September.	.10	.90	7.00
-millefolium roseum. 2 ft. Flat heads of rosy red flowers in June. Good for cutting.			
*-tomentosa (Wooly Yarrow). 6-8 in. A neat carpet-like plant with bril- liant yellow flowers from May to August. Compact gray-green fo-			
liage.	.12	1.00	8.00
ACONITUM fischeri (Azure Monkshoo 2-3 ft. Deep blue flowers in August and September. Likes moisture and some shade.		1.25	
AETHIONEMA (Persian Candytuft) *-persicum. 8-10 in. A gem for the rockery with light rose flowers in June, and tidy blue-gray foliage; likes full sun	.15	1.25	10.00
*-pulchellum. 4 in. Neat, prostrate grower with rose-purple flowers and gray foliage.			
AJUGA (Bugle) *-genevensis. 6-8 in. Deep blue flow- ers in May and June; rich dark foliage. Useful for carpeting the ground in shady places where grass will not grow.		1.25	10.00
*-reptans. 4-6 in. Low growing, com- pact blue flowers in May and June. Likes shady spots	.12	1.00	8.00
*ALLIUM thibetica. 6-8 in. Clusters of lilac-mauve flowers in June and July. Excellent for the rock garden.	.18	1.50	12.00
ALYSSUM (Basket of Gold) *-argenteum. 12-15 in. Dense growth. Leaves silvery beneath, flowers yel- low in clustered heads all summer			
Likes sun.	.10	.90	7.00

THE WESTMINSTER NURSERY

*-citrinum. 1 ft. Pale citron-yellow flowers. Fine in the sunny border, rock garden or dry wall.			Per 100
*-montanum. 3-6 in. A dainty, trail- ing dwarf with sweet scented yellow flowers in spring and early summer; silvery leaves.	.12	1.00	8.00
ANCHUSA (Alkanet) —italica dropmore. 4 ft. Interesting border plant with pretty gentian blue flowers all summer.	.10	.90	7.00
lissadell. 4-5 ft. Fine variety with large gentian blue flowers; likes the sun.	.18	1.50	
*-myosotidiflora. 15 in. Compact, well foliaged plant which has dainty, for- get-me-not-like flowers in May and June; very robust and healthy; ef- fective for shady places in the rock garden.	15	1 95	10.00
			10.00
*ANDROSACE lanuginosa (Rock Jasr 2 in. Trailing growth and soft sil-	nine	).	
very foliage and clusters of lilac- rose blossoms lasting all summer.			
Most charming. Likes a protected sunny spot.	.18	1.50	
ANEMONE (Windflower) —japonica (Japanese Windflower) 2-3 ft. Among the finest perennials for sheer beauty of bloom. The beautiful flowers of pastel shades appear in late August and continue until frost; ideal for cutting. Should have the protection of 2 or 3 inches of leaves or litter during the win- ter months. Varieties as follows: Alba. Single white. Alice. Rosy pink. Queen Charlotte. Semi-double pin	ık.		
Queen Charlotte. Semi-double pir Richard Ahrends. Shell pink.			
Prices for preceding Anemones: Field Grown Plants For spring, 2¼ in. pots			
*-hupehensis. 18 in. A rock garden gem with an abundance of mauve-rose flowers from early August until late autumn. Really a miniature form of	10	0.0	7.00
Anemone Japonica.	.10	.90	7.00
*-pulsatilla alba. 8-10 in. Rare and pretty white form showing a center of golden yellow in the flowers; com- pact and low growing.	.18	1.50	••••••
*-pulsatilla rubra. 8-10 in. A charm- ing variety with reddish purple flow- ers.			
*-sylvestris (Snowdrop Anemone). 10- 12 in. Large creamy white flowers freely produced in May and June; likes a cool, moist spot; a fine cut			
flower.	.12	1.00	8.00

	ach	Per 10	Per 100
ANTHEMIS tinctoria, Perry's Variety (Hardy Marguerite). 2 ft. Hand- some finely cut foliage, and bright golden yellow daisy-like flowers pro- duced all summer; excellent for cut	0.0		6.00
flowers.	.09	.79	6.00
AQUILEGIA (Columbine) *-alpina. 12 in. Rare variety with dark blue flowers in May; beautiful short-spurred form.	.15	1.25	
*-caerulea. 18-24 in. Dainty blue long spurred flowers in May and June			
*-canadensis. 18 in. The native Amer- ican Columbine with yellow center and bright red long spurs	.09	.75	6.00
-chrysantha. 2½ ft. Bright yellow flowers on graceful stems in May and June. A profuse bloomer	.09	<b>.7</b> 5	6.00
*-flabellata nana. 12 in. Delightful dwarf variety with waxy, pure white flowers in April and May; the fo- liage is light green, blue tinted. Likes the sun.	.15	1.25	10.00
-H. & S. Long Spurred Hybrids. 2 <sup>1</sup> / <sub>2</sub> . ft. A very choice strain for the hardy border.			
*-jaeschkani. 18 in. New introduction from Japan with many lovely shades of flowers in May and June. Likes the sun.	.18	1.50	
-Kelways Long Spurred Hybrids. 2 ft. A fine strain with clear, well defined colors and long spurs			
-Mrs. Scott Elliott Hybrids. 2½ ft. Wonderful colors and color combina- tions, with very long spurred flowers ranging through shades of laven- ders mauves, blues, purples, whites creams, yellows, pinks, red-well, the perennial border is not quite com- plete without this strain.	.10	) .90	7.00
*-oxysepala (Early Columbine). 12 in. Dwarf and early flowering with at- tractive blue and white flowers with yellow centers.		: 1.00	
ARABIS (Rockcress) *-alpina. 12 in. Pure white flowers produced in dense masses in April, splendid for border and rockery.	4.0		
Makes an excellent cut flower.		.90	7.00
*-alpina rosea. 12 in. An abundance of dainty rose flowers shading to pale pink.		1.25	10.00

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

	Each	Per 10	Per 100
<ul> <li>ARENARIA (Sandwort)</li> <li>*-balearica. 1 in. Creeping plant with dark green foliage and a pro- fusion of miniature white flowers A gem for cool, shady places in the rockery, especially for clothing bare</li> </ul>	- - -		
rocks. ARMERIA (Thrift or Sea Pink) *-laucheana. 3-6 in. Bright rosy rec		1.75	••••••
flowers in May and June; very dainty.	. <b>.15</b>	1.25	10.00
*-maritima. 4-6 in. Evergreen, grass- foliage; pale pink flowers in May and June. Very valuable for edging	7	1.00	8.00
*- <b>maritima alba.</b> 4-6 in. White flow- ering variety.	12	1.00	
ARTEMISIA (Wormwood) —lactiflora. 4-6 ft. Tall, graceful, with heads of small fragrant, white flow ers in August and September. Idea for cutting.	-	.90	7.00
-Silver King. 2-3 ft. Beautiful silvery, misty foliage which is excel- lent to use in the winter bouquet	-		
ASCLEPIAS tuberosa (Butterflyweed 18-24 in. Bright orange flowers in July and August and attractive fo- liage; excellent in the border and fine for cutting.	- - 1	.75	
ASPHODELUS luteus (King's Spear). 3-4 ft. Tall spikes of bright yellow fragrant flowers, sword-like foliage.		1.25	
ASTER *-alpinus. 6-8 in. Large purple blue flowers in May and June. Likes the	•		
sun. *-Mauve Cushion. 8-10 in. The ex-		1.25	10.00
quisite soft mauve flowers complete- ly cover the cushion-like plants in lavish profusion during October and November. One of the most beauti- ful perennials grown. Likes sun	•     •	1.00	8.00
-novae-angliae, the autumn flowering species fondly known as the New England Aster or Michaelmas Daisy. We offer the following choice varieties:	•		
Barr's Pink. 4-5 ft. Flowers large and the best pink; vigorous Blue Gem. 4-5 ft. Double flowers	.15	1.25	
of rich blue; is the best blue in cultivation.	.12		8.00
Climax. 4-5 ft. Tall pyramidal spikes of large, light lavender- blue flowers. Good cut flower	19	1.00	

Erico 2 ft Somi double close	ach	Per 10	Per 100
Erica. 2 ft. Semi-double, clear pink. Maggie Perry. 4-5 ft. Pleasing	.10	.90	7.00
mauve.	.10	.90	
Queen Mary. 4 ft. Blue tinted lav- ender.	.12	1.00	8.00
Sam Benham. 4-5 ft. The best white Michaelmas Daisy; large flowers, fine for cutting.	.12	1.00	8.00
ASTILBE —america. 3 ft. Great trusses of deli- cate lilac pink blooms; very frag- rant; outstanding. Prefers moist rich soil and sun or semi-shade	.18	1.50	12.00
-davidi (David Astilbe). 4-5 ft. One of the best of the large Astilbes. The graceful plumes of rich crim- son purple and violet in July and August produce spectacular effects in the hardy border, rock garden and water garden.	.20	1.75	/
*-gloria superba. 18-24 in. Beautiful deep rose-pink flowers; very pro- lific.			
AUBRIETIA (Wall-Cress) *-deltoides bougainvillei. 3-4 in. Love- ly trailing plant with masses of light violet flowers from April to June. Loves to droop over rocks or low walls.	.18	1.50	12.00
*-Rose Queen. 4-6 in. Delightful rose- pink flowers.	.18	1.50	12.00
*-Selected Large Flowering Hybrids. 3-6 in. A splendid assortment of colors.	.12	1.00	8.00
BAPTISIA australis (Blue Wild-indi- go). 3 ft. Spikes of dark blue flow- ers in June; good for cutting	.07	.65	
BELLIS perennis (English Daisy) *-monstrosa. 6 in. Large flowers which `make dainty bouquets. Either dou-	ч.		
ble pink or double white		.90	
*-monstrosa Etna. 6 in. Brilliant red daisy; blooms in early spring		1.00	
*BELLIUM bellidiolides (Alpine Daisy). 3 in. A dainty little minia- ture daisy that throws out runners and forms a wide mat covered all summer with tiny white flowers	.15	1.25	
BOLTONIA latisquama (Violet Bol- tonia). 4-5 ft. A myriad of pink, lavender-tinted flowers from July until frost. Very showy, good for			
cutting		.75	6.00

BUPHTHALMUM salicifolium (Wil-	ach	Per 10	Per 100
lowleaf Oxeye). 2 ft. Large golden yellow flowers all summer	.12	1.00	8.00
*CALLIRHOE involucrata (Low Pop- py-mallow). 1 ft. A trailing plant; large saucer-shaped flowers of bright rosy crimson with white cen- ters produced all summer	.15	1.25	10.00
CALLUNA (Heather) *-vulgaris. The Heather is truly one of the most beautiful plants grown. It is a handsome shrub of dense, feathery, green growth that breaks into exquisite masses of flowers of the utmost delicacy; likes well drained, sour soil, sun, and a good share of moisture. We offer the fol- lowing varieties: alporti. 1-2 ft. Crimson flowers,			
bright green foliage		4.00	30.00
aurea. 1-2 ft. Yellow foliage, pink flowers.	.48	4.00	30.00
humilis. 1-2 ft. Rich green foli- age; tiny white flowers	.48	4.00	30.00
nana compacta. 7-8 in. Prostrate and compact in growth, dull rich green foliage and pink flowers; very dainty.	18	4.00	30.00
rosea. 1-2 ft. Rosy-pink flowers bright green foliage			
rubra. 1-2 ft. Deep rosy carmine flowers.			
CAMPANULA (Bellflower) *-carpatica. 8-10 in. Large cup- shaped blue flowers all summer. Called the Carpathian Harebell	19	1 00	8.00
*-elegans. 18 in. Blue flowers all sum-	•1,4	1.00	0.00
mer	.12	1.00	8.00
*-garganica. 4-6 in. A gem for the rock garden; forms a low spreading tuft; covered in June with myriads of starry light blue flowers. Exquis-			
ite rock plant	.18	1.50	12.00
*-glomerata. 18 in. Large flower heads of light blue during June and July.	.18	1.25	10.00
-medium (Canterbury-bells). 2-3 ft. The numerous branches are crowd- ed with deep bells in spring and early summer. Mixed colors, includ- ing blue and rose. These Canter- bury-bells are biennials and are fine			
for cutting *-muralis. 6-9 in. Profusion of bluish	.09	.75	••••••
purple flowers in June. Ideal for stone walls and the rockery	.12	1.00	8.00

#### WESTMINSTER, MARYLAND

E	lach	Per 10	Per 100
persicifolia (Peachleaf Bellflower). 3 ft. Large blue saucer-shaped flow- ers from May to July			
-persicifolia grandiflora coerulea. 2 ft. Large bright blue flowers; very attractive.	.12	1.00	8.00
—persicifolia Telham Beauty. 2 ft. Large bells of beautiful china blue.	.15	1.25	10.00
*-pusilla. 4-6 in. A gem for the rock- ery; lilac blue flowers from June to September.	.20	1.75	
*-rotundifolia (Blue Bells of Scotland or Harebells). 1 ft. Clear blue flow- ers from June to September	.12	1.00	
-trachelium (Coventry-bells). 2-3 ft. Beautiful drooping purple bells from July to September; very			
hardy. CARNATION (Hardy Carnations)	.20		••••••
-Chaubaud Mixed. 12 in. A fine strain of Carnations for the border; mixed colors; ideal for cutting	.12	1.00	** * * * * * *
-Chaubaud Rose. 12 in. Soft rose flowers.	.12	1.00	
-Grenadin Scarlet. 12 in. Large scarlet-red flowers.	.12	1.00	8.00
-Kelway's Yellow. 8-10 in. Delight- ful yellow flowers all summer; frag- rant and fine for cutting.	.12	1.00	
CENTAUREA (Knapweed) —dealbata. 2 ft. Large and striking rose-pink flowers in June and July.	.12	1.00	8.00
-macrocephala (Globe Centurea). 3-4 ft. Large golden-yellow flowers in July and August; exceptionally fine for cutting	.09	.75	6.00
-montana (Mountain-blue). 2 ft. Large violet-blue flowers from July to September.			
CEPHALARIA tatarica (Giant Scab- ious). 5-6 ft. Tall growing; flat heads of showy creamy white flow-			
ers during July and August. Good for cutting.	.12	1.00	8.00
*CERASTIUM tomentosum (Snow in Summer). 8-10 in. Pretty silver- gray foliage; covered during the summer with a shower of pure white flowers.	10	90	7.00
*CHEIRANTHUS allioni (Siberian Wall-flower). 1 ft. An interesting	.10	.90	7.00
biennial with a great profusion of fragrant fiery orange flowers in the spring.	.15	1.25	10.00

CHELONE BARBATA—See Pentstemon Barbatus.

37

Each Per 10 Per 100

	ach	Per 10 J	Per 100
CHRYSANTHEMUM Handa Conden Variation 9.2 ft			
-Hardy Garden Varieties. 2-3 ft. Gorgeous autumn-blooming plants			
with a profusion of bright colored			
flowers. The following are popular			
and dependable varieties:			
Boston. Bronze-orange	.15	1.25	
Edina. Rosy pink Mrs. Albert Phillips. Beautiful	.15	1.25	•••••
Mrs. Albert Phillips. Beautiful	4 10	1.05	
single pink, late blooming	.15	1.25	•••••
Mrs. F. H. Bergen. Large pale pink with deep pink centers	15	1.25	
October Girl. Clear pink-rose		1.25	
Ruth Cumming. Rich reddish		1.120	•••••
bronze softly shaded with terra-			
cotta.	.15	1.25	
Tints of Gold. Large golden yel-	10	0.0	
low flowers, a good early variety.	.10	.90	•••••
-Pompon Button Chrysanthemums.			
15-18 in. The varieties in this clas-			
sification usually produce billowy			
clusters of flowers less than 2 inches			
in diameter. They are very dainty in the garden and produce wonder-			
ful cut flowers.			
Bronze Doty. Handsome bronze			
flowers.	.15	1.25	10.00
Button Bronze. Very small bronze			
flowers. Button Yellow. Tiny clusters of	.15	1.25	10.00
Button Yellow. Tiny clusters of		1 05	10.00
yellow flowers. Captain R. H. Cook. Deep rose;	.15	1.25	10.00
very fine	.15	1.25	10.00
Mrs. H. Harrison. Small, with	.10	1.40	10.00
light pink blooms	.15	1.25	10.00
Pink Doty. A good pink variety.	.18	1.50	
White Doty. Large white flowers.	.18	1.50	•••••
Yellow Doty. A dainty yellow	.18	1.50	•••••
Single or Daisy Flowering Chrysan-			
themums. 18-24 in. Contrasting in			
shape of blooms, these varieties add			
a most interesting and delightful			
touch to the garden and produce			
wonderful cut flowers.		1.07	
Araby. Large white Bertha Fairs. Brilliant rose-pink.	.15	1.25	
Bronze Buckingham. Glowing	.20	•••••	*******
	.18	1.50	
Cosmos. Deep purplish carmine		1.25	10.00
Dainty. Early; orange.		1.25	
Dazzler. Scarlet; our best single			
Chrysanthemum.	.15	1.25	10.00
Joyce Strowlger. Bronze salmon-	10	1 50	
pink. Mrs. Calvin Caelidge Lovely apr	.18	1.50	******
Mrs. Calvin Coolidge. Lovely car-	19	1.50	12.00
dinal red. Mrs. John Stewart, Jr. Bronze	.18	1.50	12.00
Sarah. Single yellow	.18	1.50	12.00
Heavy 2 year Field Grown Plants			
at prices named for Fall and Spring			
Delivery.			
All of the above Chysanthemums,			
in addition to some other varieties,			
in 2¼ in. pots for Spring, 1936	.09	.75	6.00

Each Per 10 Per 100

-Species of Chrysanthemums, includ- ing the Maximum Flowering varie- ties. The following varieties are ad-			
mired for their striking vigor and boldness of bloom; very free flow- ering, and desirable for cut flowers:			
Alaska (Shasta Daisy). 2-2½ ft. A decided improvement on the original, with blooms 4½ to 5 inches across. Very free flowering			
all summer and autumn	.09	.75	6.00
*-Arcticum (Arctic Daisy). 12-18 in. Attractive rosette-like clumps covered with pure white single flowers measuring 2 to 2½ inches across from September to Novem-	10	00	7.00
ber. Coreanum (Korean Daisy). 2-3 ft. Remarkable introduction from Korea. Large white flowers with golden centers resembling a glori- fied daisy, frequently becoming pink tinted. Very hardy; blooms	.10	.90	7.00
from September until late Novem- ber.	.10	.90	7.00
ber. Mrs. C. Lothian Bell. 2-3 ft. Mag- nificent white flowers often meas- uring 6 inches across from June		100	
to August	.12	1.00	8.00
CLEMATIS integrifolia. 3 ft. Hand- some shrub-like variety of the Clem- atis family; pretty blue flowers in	0.0	-	
June and July CONVALLARIA majalis (Lily-of-the Valley). 8 in. The true variety with pretty little bells of pure white in early spring. Most dainty and			
charming. COREOPSIS grandiflora (Big Core- opsis). 18-24 in. Showy brilliant	.15	1.25	10.00
yellow flowers all summer. Ideal for the bouquet.	07	65	5 00
*CORYDALIS cheilanthifolia (Chi-		.00	0.00
nese Corydalis). 10 in. Fernlike fo- liage; long spikes of yellow blos- soms in the spring. Prefers rich, well drained soil; does well in shade.			
Very rare.	.18	1.50	•••••
CRUCIANELLA (Crosswort) *-stylosa. 10-12 in. A fine creeper for the rockery. The flowers are pink ball-shaped, blooming from	10	0.0	
May until Autumn *-stylosa carminea. 10-12 in. A new variety with brilliant carmine-red		.90	
flowers.	.10	.90	•••••
DELPHINIUM (Hardy Larkspur) Belladonna. 2½-3 ft. Bright sky- blue flowers from June to August.			
Attractive in the border and as cut flower.	.10	.90	7.00

E	ach	Per 10	Per 100
-Belladonna Cliveden Beauty. 3-4 ft. A splendid improved form of Bella- donna with extra large flowers of			
vivid light blue on well developed stems practically all summer	.18	1.50	
-Bellamosum. 2 <sup>1</sup> / <sub>2</sub> -3 ft. Large single flowers of deep indigo blue. A fine cut flower.	.10	.90	
-chinese. 1 <sup>1</sup> / <sub>2</sub> -2 ft. Clear, deep blue			•
flowers from June to September excellent for cutting	; .12	1.00	8.00
-elatum "Iceberg". 4 ft. A new out- standing introduction. The white flowers form 20-inch spikes on tall stems; highly effective when used among the blue varieties.	.18	1.50	
-English Hybrids. 4-6 ft. Many ex-			
quisite shades and fine long spikes of flowers from June to August	.15	1.25	10.00
-Kelway's English Hybrids. 4-6 ft. A very fine selected strain	.25	2.00	17.00
DIANTHUS (Pinks)			
*-alpinus. 4 in. Bright pink flowers in May.	.20	1.75	
*-alpinus alwoodi. 4-6 ft. A rock gar- den gem with attractive glossy leaves; during July and August a profusion of large flowers in various shades of rose and pink.	.18	1.50	
*-arenarius. 6 in. A shower of lacy			
white flowers delicately tinted with lavender in June.	.20	1.75	¥ 
-barbatus (Sweet William). 2 ft. Old favorites, bearing their sweet, clove-scented flowers in the great- est profusion during May and June. They are indispensable for the bor- der and for cutting. The following varieties are usually treated as bien- nials:			
Holborn Glory. A large flowered			
auricula-eyed type with brilliant colors.	.09	.75	6.00
Newport Pink. The best of the salmon pinks.	.09	.75	6.00
Nigrescens. Rich velvet maroon. Scarlet Beauty. Scarlet flowers			6.00 6.00
*-caesius (Cheddar Pink). 6 in. The true cushion pink; compact growing; fragrant rosy pink flowers in May and June.	.12	1.00	8.00
*-caesius flore pleno. 6 in. Double		2.00	
flowering variety of the Cheddar Pink.	.18	1.50	12.00
*-deltoides albus. 4 in. A profusion of tiny white flowers in June and July.	.10	.90	7.00

E	lach	Per 10	Per 100
*-deltoides Brilliant. 4 in. Myriads of crimson-red flowers in June and July	.12	1.00	8.00
*-plumarius Beatrix. 10-12 in. This is the true strain; double salmon- pink flowers from May to Novem- ber.	.12	1.00	8.00
*-plumarius semperflorens. 10-12 in. Pretty frilled and brightly colored flowers on glaucous foliage. A fine mixture of vivid and pastel colors	.12	1.00	8.00
DICENTRA (Bleeding Heart) *-eximia. 15 in. Finely cut foliage and cherry-red heart shaped flow- ers all summer	.15	1.25	
-spectabilis. 2 ft. The old fashioned favorite that is such a show in the border.	.25	2.00	17.00
DIGITALIS (Foxglove) —ambigua. 3 ft. A vigorous plant with yellowish flowers marked with brown.		1.50	••••••
-Giant Shirley Hybrids. 3 ft. Large spikes of bright pastel shades. Bien- nials.	.12	1.00	
DORONICUM (Leopardbane) *-caucasicum. 18 in. Large clear yel- low daisy-like flowers in early spring. Excellent cut flowers	.30	2.50	18.00
plantagineum excelsum. 2 ft. Gold- en yellow flowers of large size in April and May. Fine cut flowers		3.00	20.00
ECHINACEA purpurea (Purple Cone- flower). 3 ft. Handsome large pur- ple flowers with brown cone centers from July to early autumn. Very showy.	.12	2 1.00	8.00
ECHINOPS ritro (Steel Globethistle). 3-4 ft. Attractive border plant with metallic-blue flowers from July to August.	.Je	2 1.00	•••••
*ERICA carnea (Spring Heath). 18 in. Delightful bright rose flowers in early spring. Companion to Calluna.		<b>4.00</b>	
ERIGERON (Fleabane) *-alpinus. 8 in. Attractive heads of lilac-purple flowers from May to Au- gust.		3 1.50	12.00
*-aurantiacus (Orange Fleabane). 1 f Pretty orange colored daisy-like flowers from June to August.		3 1.50	•••••
speciosus. 2 ft. Lilac-blue flowers from June to August. Good for cut- ting.		.90	7.00

41

	lach P	er 10	Per 100
ERINUS (Liver-Balsam) *-alpinus albus. 6 in. Compact dwarf evergreen foliage with white flow- ers in May and June.	.12	1.00	8.00
*-alpinus roseus. 6 in. Rosy-purple flowered variety.	.15	1.25	10.00
*-Dr. Hanelle. 6 in. A charming va- riety with crimson flowers			12.00
ERYNGIUM a methystinum (Sea Holly). 2 ft. Violet-blue flowers in July and August.	.12	1.00	
EUPATORIUM coelestinum (Mist- flower). 18-24 in. Lavender-blue flowers from August to frost. Re- sembles Ageratum.	.09	.75	6.00
*EUPHORBIA polychroma (Spurge). 1 ft. Yellow flowers in May and June	.25	2.00	17.00
*FESTUCA glauca (Blue Fescue). 8 in. Dwarf ornamental grass with distinct blue-green foliage.	10	.90	7.00
GAILLARDIA (Blanket Flower) —Dazzler. 3 ft. Showy, large yellow- red flowers during summer and au- tumn.	10	.90	7.00
-grandiflora. 3 ft. Red flowers with yellow borders during summer and autumn.			7.00
-Portola Hybrids. 3 ft. A selected strain of large flowers from reddish bronze to deep gold. Fine cut flow- ers.	.09	.75	6.00
*GALIUM verum (Bedstraw). 15 in. Yellow flowers from July to Sep- tember.	.15	1.25	10.00
GERANIUM (Crane's Bill) 			
ers from June to September	.12	1.00	••••••
*-sanguineum. 15-18 in. Crimson flow- ers all summer.	.12	1.00	8.00
GEUM (Avens) *-heldreichi. 12-15 in. Bright orange flowers all summer.	.15	1.25	10.00
*-Lady Stratheden. 18 in. Large dou- ble yellow flowers all summer	.12	1.00	8.00
*-Mrs. Bradshaw. 18 in. Large dou- ble bright scarlet flowers all sum- mer.	.12	1.00	8.00
*-Orange Queen. 18 in. A new intro- duction with a striking shade of or- ange; flowers double.	.18	1.50	
*-Prince of Orange. 18 in. A novelty of merit. Fine orange blossoms on long stems in July and August	.18	1.50	

E	ach	Per 10	Per 100
*GLOBULARIA trichosanthes (Syrian Globedaisy). 8 in. Beautiful laven- der flower heads. Makes a bril- liant picture in the rockery	.15	1.25	10.00
GYPSOPHILA (Babysbreath)			
-Bristol Fairy. 2-3 ft. New fine dou- ble variety; the billows of snowy white flowers bloom all summer. Very excellent for cutting and dry- ing for bouquets	.30	2.50	20.00
paniculata. 2 ft. Covered with tiny, single white, mist-like flowers in	0.0		C 0.0
June and July	.09	•19	6.00
HELENIUM (Sneezeweed)			
-autumnale. 3 ft. Bright yellow flowers in the autumn	.18	1.50	12.00
-autumnale rubrum. 3 ft. Bronze-red flowers from July to October	.18	1.50	12.00
-autumnale superbum. 3-5 ft. Splen- did golden yellow flowers from July to October.	12	1.00	8.00
	• 1 4	1.00	0.00
Riverton Beauty. 3-4 ft. Lemon yellow flowers in early autumn	.15	1.25	
*HELIANTHEMUM chamaecistus mutabile (Fickle Sunrose). 12 in. Excellent for the wall or rockery; produces a wealth of multi-colored flowers throughout the early sum- mer. Likes the sun.	.10	.90	7.00
HELIOPSIS pitcheriana (Orange Sun- flower). 3 ft. A showy border plant with yellow, orange-tinted flowers in July and August. A use- ful cut flower	.10	.90	7.00
HEMEROCALLIS flava (Lemon Day- lily). 2-3 ft. Sweet scented, clear full yellow flowers in June.	.18	1.50	12.00
HESPERIS (Sweet Rocket)			
-matronalis. 3 ft. Fragrant purple flowers in June	.10	.90	7.00
matronalis alba. 3 ft. Splendid white variety.	.10	.90	7.00
HEUCHERA (Coralbells) *-brizoides gracilina. 15 in. A profu- sion of deep coral red flowers on graceful erect stems during July	19	1 50	12 00
· · ·	•10	1.00	12.00
*-sanguinea. 15 in. Beautiful coral crimson flowers.		<b>1.2</b> 5	10.00
*-sanguinea alba. 15 in. Delightful white flowered variety.	.15	1.25	10.00
*-sanguinea Pleu de Feu. 15 in. Strik- ing bright fiery red flowers		3 1.50	12.00
*-sanguinea splendens. 15 in. Pinkish crimson flowers, nice for cutting		3 1.50	12.00

۲. Fi	ach	Per 10	Per 100
HIBISCUS Mixed (Mallow). 4 ft. quick growing and shrubby; bears quantities of large flowers, like sin- gle Hollyhocks, in the autumn. Mixed shades.			
<ul> <li>HOLLYHOCKS. 6-8 ft. Stately, majestic hardy plants; a necessary part of every old-fashioned garden. Colossal spikes of bloom in summer. The following varieties offer the best colors and vigorous plants:</li> <li>Allegheny. Mammoth flowers with fringed petals, all colors, single.</li> <li>Double Crimson Double White Double Yellow Newport Pink. Semi-double.</li> </ul>			
All of the above Hollyhocks HORMINUM pyrenaicum. 1 ft. Bluish purple flowers on leafless	.09	.75	6.00
spikes in summer. HOSTA undulata variegata (Funkia; Plantainlily). 18-24 in. Graceful variegated leaves and light lilac-			
blue flowers in July and August HYPERICUM (St. Johnswort) —henryi. 2-3 ft. Golden yellow flow- ers in late summer and early au-	.12	1.00	8.00
<ul> <li>*-moserianum. 18 in. Large, rich golden-yellow flowers blooming con-</li> </ul>	.18	1.50	••••••
<ul> <li>tinuously through summer</li> <li>*-polyphyllum. 8 in. A shower of bright yellow flowers on pretty trail-</li> </ul>	.18	1.50	•••••••
<ul> <li>ing foliage. Fine for the rocks</li> <li>*-reptans. 6 in. Fine prostrate, trailing rock plant with masses of clear</li> </ul>	.15	1.25	•
golden yellow flowers in July and August. IBERIS (Candytuft)	.15	1.25	10.00
*-gibraltarica. 8 in. Handsome dark green foliage surmounted with heads of delicate lilac flowers in			
May and June *-sempervirens. 8 in. Evergreen fo- liage which is delightfully hidden by dense heads of pure white flow-	.15	1.25	••••••
ers in May and June IRIS	.12	1.00	8.00
-germanica (German Iris or Flag Iris). 2-4 ft. There are so many va- rieties of German Iris grown that it is almost impossible to say that any special list is the best. We have selected outstanding standard varie- ties that cover the color range and which in our judgment are dis- tinct and worthy of cultivation. Easily grown; likes sun.			
Ambassadeur. Velvety purple	.15	1.25	10.00

		1 41 10	Per 100
Archeveque. Deep rich purple- violet.	09	.75	6.00
Gochi. Rich claret-purple	.09	.75	
Lent A. Williamson. Violet and	10	1 00	0.00
purple Monsignor. Purple	.12	1.00 .75	
Prosper Laugier. Bronze to vel- vety ruby-purple, white and yel-			0.00
low. Queen Caterina. Purple and gold		.75	
to white and bronze Rhein Nixe. White and violet	.12	1.00	
Shekinah. Pale yellow shading to	.09	.75	6.00
amber on the throat	.12	1.00	8.00
W. J. Fryer. Shadings of bright	10	1.00	
yellow, maroon and violet	.14	1.00	••••••
-kaempferi (Japanese Iris). 2 ft. For striking beauty, gracefulness, and gorgeousness of bloom, this plant is unexcelled. Avoid lime in the			
soil and give a light protection in winter with straw or leaves. The following varieties create delightful pictures:			
Astarte. Double, dark violet	.18	1.50	12.00
Circe. Double, dark violet blue			10.00
lined with white. Eleanor Perry. Double claret-red	.15	1.25	10.00
with white and blue	.15		10.00
Gold Bound. Double pure white; creamy glow at the gold-banded			
	.15	1.25	10.00
Mahogany. Large double purple to mahogany red. Latest to			
bloom. Melpomene. Double soft blue			
Purple and Gold. Double rich violet purple with white petal- oids, tipped with violet; golden	.10	1.40	10.00
throated. Ski-no-ryo. Double blue and	.15	1.25	10.00
white.	.15	1.25	10.00
-pumila (Dwarf Iris). 8 in. Fine dwarf Iris that is well placed in the rock garden or the border. Good for edging. The following varieties are hardy and colorful:	,,		
Excelsa. Pure lemon-yellow Sambo. Dark violet-blue Schneekuppe. Pure white	.18	1.50	 
-siberica Blue King (Siberian Iris) 3 ft. Stately, regal blue flowers; a gem for the flower border or water- side. The flowers are produced in great abundance on stout, stiff stems. Excellent for cutting	.12	1.00	8.00
*-tectorum (Roof Iris). 10 in. A de- lightful species from Japan and China where it is frequently grown on the thatched roofs of the cot- tages. The blue flowers in June are delicately crested.	.15	1.25	10.00

、 Ε	ach	Per 10	Per 100
*JASIONE perennis (Sheep's Scabi- ous). 12 in. Small bells of dainty lavender-blue in June and July. Likes sun or partial shade			
LATHYRUS latifolius Mixed (Peren- nial or Everlasting Swee Pea). 3 ft. Various delightful shades. Does well at the seashore	.09	.75	6.00
*LAVANDULA vera (Sweet Laven- der). 18 in. The beloved old-fash- ioned garden plant; delightfully fra- grant lavender flowers from July to September.	.12	1.00	8.00
*LEONTOPODIUM alpinum (Edel- weiss) 5 in. Silvery white leaves and starlike heads clothed with a dense white woolyness; prettiest in June. One of the most famous plants from the European Alps	.18		
LIATRIS (Gayfeather) —pycnostachya. 4-5 ft. Long spikes of rich purple flowers all summer	.12	1.00	8.00
-scariosa. 4-5 ft. Large showy pur- ple heads in September.	.12	1.00	••••••
LINUM (Flax) *-perenne (Perennial Flax). 15 in. Pale blue flowers all summer on graceful stems; pretty foliage.	.09	.75	6.00
*-perenne album (White Perennial Flax). 15 in. White form of the above. Very attractive.	.12	1.00	
LOBELIA —cardinalis (Cardinal flower). 2-3 ft. A handsome robust border plant producing many spikes of rich, fiery cardinal flowers from July to Sep- tember. Thrives in any ordinary garden soil but does best in a moist deep loam.		1.50	
—siphilitica (Large Blue Lobelia). 3 ft. Moisture loving plant with dark blue flowers streaked with white. Desirable near the brook or lake		1.25	10.00
LUPINUS polyphyllus Hybrids (Lu- pine). 3 ft. Bold massive spikes of pea-shaped flowers; colors are both rich and delicate; sweet scented		1.00	
LYCHNIS (Campion) 		2 1.00	
*-viscaria splendens. 1 ft. Deep green foliage with pink flowers in June and July.		2 1.00	

 $\mathbf{sp}$ do 00 \*MA Α pla  $\mathbf{sp}$ a a MON 3 sh \*MY (F po in di tii sp an \*NE Co fo de \*NI cu be sh te sh OEN \*-fr Ju \*-m be  $\mathbf{W}$ fr

\*MATRICARIA Little Gem

few; False-camomile). 1 ft.

splendid border plant with large double white flowers from June to October. Valuable for cut flowers	.15	1.25	10.00
*MAZUS reptans (rugosus). 1-2 in. A dwarf and interesting Alpine plant, close tufted, covered in early spring with dainty lilac flowers with a small white lip; creeping. Likes a sheltered partial shady spot	.12	1.00	8.00
MONARDA Hybrids (Bergamot). 2- 3 ft. Flower heads of many pretty shades during July.	.09	.75	6.00
*MYOSOTIS palustris semperflorens (Forget-me-not). 6 in. The most popular hardy Forget-me-not. Ideal in the rockery or for colorful display in the low border. A con- tinuous shower of bright blue in spring and summer. Likes moisture and some shade	.09	.75	6.00
*NEPETA mussini (Catmint). 8 in. Compact with fragrant silvery gray foliage and hundreds of small laven- der-blue flowers in June and July			
*NIEREMBERGIA rivularis (White- cup). 4 in. Dwarf creeping plant bearing large, creamy white, cup- shaped flowers from June to Sep- tember. Likes moisture and partial shade	.18		
OENOTHERA (Evening Primrose) *-fraseri. 12 in. Pale yellow flowers, June-October	.12	1.00	8.00
*-missouriensis. 6 in. A rugged beauty with leathery leaves from which arise golden yellow flowers from June until August			
*-speciosa. 18 in. Pure white flow- ers 3 inches across in great quanti- ties all summer		1.00	8.00
-youngi. 2 ft. A strong, large-leav- ed plant with numerous bright lem- on-yellow flowers from June to Au- gust.		1.00	8.00
PACHYSANDRA—See Broadleaved E	verg	reens	
*PANSY Choice Swiss Giants. 6 in. Very fine strain of many beautiful colors. These are the biennials of the Viola family. Bloom from spring to autumn	.04	.35	3.00
PAPAVER (Poppy) *-nudicaule (Iceland Poppy). 1 ft. Dainty cup-shaped flowers in de-			

lightful shades from white to orange are profusely borne on graceful

.....

Each Per 10 Per 100

(Fever-

A

E	ach	Per 10	Per 100
*-nudicaule Coonara Shades (Iceland			
Poppy). 1 ft. A new blending of			
colors from pink to apricot; spring			
and summer. Fine for cutting.			
Likes the sun	.12	1.00	8.00
ariantala (Oviental Banny) 2.216	•		
-orientale (Oriental Poppy). 3-3½ ft. Nothing quite equals the Orien-			
tal Poppy for gorgeous display and			
brilliant coloring during May and			
June. Mulch lightly with litter in			
the autumn. The following varie-			
ties are noted for their size and			
brilliance of bloom:			
Beauty of Livermore. Huge vel-			
vet-crimson flowers; very showy	15	1.25	
Mrs. Perry. Apricot-orange ting-	.10	1.20	*******
ed with pink. The best "Pink			
Poppy"	.15	1.25	
Orientale. Tremendous cup-shap-		1.20	
ed blooms of brightest crimson-			
ed blooms of brightest crimson- scarlet with large purplish			
blotches at base of petals	.12	1.00	
Perry's White. Flowers of purest			
sating white with a splash of			
crimson-maroon at the base of			
each petal	.15	1.25	
PENTSTEMON (Beard Tongue)			
-barbatus torreyi. 2 ft. Spikes of			
bright scarlet flowers from June un-	-		
til August.	.15	1.25	
*-Large Flowering Hybrids 15-18			
in. A fine strain freely producing			
flowers of good clear colors in the			
summer.	15	1 95	10.00
Summer,	•10	1.20	10.00
-pubescens. 24 in. Neat border plant			
with white flowers that are tinted			
with blush and lavender.		1.00	8.00
PEONIES. 2 <sup>1</sup> / <sub>2</sub> -4 ft. The pride of			
all gardens, handsome of foliage and			
gorgeous of bloom; May and June.			
We have excellent varieties in			
white, pink and red	.15	1.25	10.00
DULOY			
PHLOX			
-decussata (Hardy Garden Phlox).			
2-3 ft. These beautiful hardy border			
plants are most effective and useful			
in late summer and early autumn,			
with their bright colors and freedom			
of bloom. The following varieties have proven to be dependable and			
among the best grown.			
Antonin Mercie. Delicate lilac-			
blue	.09	.75	
B. Comte Tall growing with	.00		
<b>B.</b> Comte. Tall growing with large heads of amaranth-red			
flowers	.09	.75	
Commander. Brilliant deep crim-			
son with slightly darker eye,			
blooms profusely Elizabeth Campbell, Salmon pink	.15	5 1.25	
Elizabeth Campbell, Salmon pink	.15	5 1.25	

Ea	ch	Per 10	Pe <b>r 100</b>
Enchantress. Bright salmon-pink with dark eye	19	1 00	
With dark eye	14	1.00	******
melon-pink	.15	1.25	
melon-pink Mrs. Charles Dorr. Tall lavender	.12	1.00	
Mrs. Jenkins. Pure white, free-		1 0 0	
flowering	.12	1.00	•••••
Mrs. Milly von Hoboken. Pink with delicate mauve suffusion	12	1.00	
Mrs. Scholten. New dark salmon		1.00	*******
	.15	1.25	
pink Mrs. Verboom. Rose-pink	.10	.90	•••••
Painted Lady. Silver pink, sal-	10		
mon and cherry red Rhinelander. Large heads of sal-	.10	.90	•••••
mon pink	.12	1.00	
mon pink R. P. Struthers. Rosy carmine			
with claret-red eye Rijnstroom. Carmine-rose, large	.10	.90	•••••
Rijnstroom. Carmine-rose, large	10	0.0	
clusters Thor. Deep salmon-pink, scarlet	.10	.90	••••
glow; small analine-red eye	.10	.90	
Von Lassburg. Tall, large pure	••••		*******
white	.10	.90	•••••
subulata (Moss Phlox or Mountain			
Pinks). 2 in. Early spring-flower-			
ing type with pretty, mosslike, ever-			
green foliage which, during the flow-			
ering season in April and May is			
hidden under the masses of bloom;			
excellent for the rockery, the border and invaluable for carpeting. We			
have selected varieties which assure			
vigor and beauty in color range.			
Alba. Pure white flowers	.18	<b>1.50</b>	12.00
Atropurpurea. Deep carmine-			
red; brilliant	.18	<b>1.50</b>	12.00
Fairy. Pale blue flowers; dainty			
G. F. Wilson. Bright lilac	.12	2 1.00	8.00
Lilacina. Light lilac			
Rosea. Rosy pink; fine for cover-			
ing banks	.09	.75	6.00
Vivid. Bright pink with fiery red			
eye	.18	<b>3 1.50</b>	••••••
Various Phlox Species			
*-amoena (Amoena Phlox). 4-6 in.	.,		
One of the best varieties for car-			
peting the ground or the rocks;			
covered in the spring with bright	10	5 1 95	
pink flowers	•10	9 1.20	*******
*-divaricata canadensis. 10 in. Dain-			
ty native variety commencing to			
bloom in April and continuing through May, with large fragrant,			
lavender flowers.	1	2.1.00	8.00
		- 1.00	0.00
*-ovata (carolina) (Mountain Phlox).			
12 in. Bright rosy red flowers in June and July	1	9 1 00	8.00
		2 1.00	0.00
-suffruticosa Miss Lingard. 2 ft.			
Flowers white with faint pinkish lavender eye; blooms all summer	0	9.75	6.00
an summer	•0	••••	0.00

	ach	Per 10	Per 100
PHYSALIS francheti (Chinese Lan- tern). 2 ft. Very ornamental, pro- ducing freely bright orange-scarlet, lantern-like fruits; when cut will last all winter	.07	.65	5.00
PHYSOSTEGIA virginica grandiflora Vivid (False Dragonhead). 18 in. Large deep pink flowers in August and September. Splendid for cutting	.10	.90	7.00
<ul> <li>PLATYCODON (Balloonflower)</li> <li>—grandiflorum. 20 in. Large, showy deep blue flowers produced all summer; bell-shaped when open</li> </ul>	.09	.75	6.00
-grandiflorum album. 20 in. Excel- lent white form	.09	.75	6.00
*PLUMBAGO larpentae (Leadwort). 1 ft. Blue flowers late summer and early autumn; spreading habit			
POLEMONIUM *-caeruleum (Greek-valerian). 18 in. Blue flowers with golden center in May and June. Likes sun. Also	10		
called Jacob's Ladder			
*-caeruleum album. 18 in. White form	.15		
*-reptans. 6 in. Dainty creeping plant with showy blue flowers in early spring	.15	1.25	10.00
*-Richardsoni. 18 in. Masses of beautiful sky-blue blossoms in June	.12	1.00	8.00
POTENTILLA (Cinquefoil)			
*-matsumurae. 3 in. Lovely dwarf, richly covered with yellow flowers during May and June. Likes the sun	.15	1.25	10.00
*-rupestris. 1 ft. Clusters of clear white flowers	.12	1.00	8 <b>.00</b>
PRIMULA (Primrose). Most beauti- ful and interesting early spring flowers. Plant them in rich, well- drained soil in the border or in a sheltered nook in the rockery; if possible in a half-shady place. Suit- able too, for the waterside.			
*-auricula Giant Hybrids. 8 in. Pleas- ing shades of color; attractive light green foliage	.18	1.50	12.00
*-auricula Kelway's Showy Border. 8 in. Choice mixture; large flower- ed; many pretty shades	.20	1.75	15.00
*-veris Barr's Exhibition Reds. 8 in. A fine selection including bright shades of crimson and sarlet			
*-veris elatior. 1 ft. The true Conti- tinental Oxlip; clear yellow flowers.			
*-veris Hybrids. 1 ft. Various shades of lilac, purple violet, buff, orange salmon and rich reds	.15	1.25	10.00

म	ach	Per 10	Per 100
*-veris polyantha Gold Laced. 1 ft. Selected from mottled and bicolor	acit	10110	101 100
types of Polyanthus Primrose; fine mixture of colors.	.15	1.25	10.00
*-veris Yellow. A remarkable new strain showing a deep burnt orange color.	18	1.50	12.00
	.10	1.00	12.00
<ul> <li>PYRETHRUM (Painted Daisy)</li> <li>grandiflorum. 2-2½ ft. Showy flowers of all shades of color except blue and yellow, produced freely all summer, particularly in May and June. The foliage is neat and finely cut.</li> </ul>	.10	.90	7.00
-James Kelway. 2-2½ ft. Very fine strain with large single, daisy-like			
flowers.	.15	1.29	10.00
RANUNCULUS acris flore-pleno (But- tercups). 18-24 in. Double yellow flowers; upright growing; of easy culture, especially in moist places; a good cut flower.	.12	1.00	8.00
RUDBECKIA (Coneflower)			
-laciniata Goldenglow. 6-7 ft. Very showy border plant producing mass-			
es of large, double golden flowers in late summer.	.09	.75	*******
-newmanni. 3 ft. Perennial form of the Black Eyed Susan. Deep orange- yellow flowers with a purplish black cone; blooms all summer	.09	.75	6.00
purpurea (Purple Coneflower)-See Echinacea purpurea.			
SALVIA (Sage)			
-farinacea (Mealycup Sage). 30 in. Long spikes of light blue. Needs	10	1.00	
winter protection.		1.00	
pitcheri. 3-4 ft. Large flowers of rich gentian blue, branching habit.		1.00	8.00
patens (Gentian Sage). 2 ft. Fine, blue flowers from June to Septem- ber.	.10	.90	
*SANTOLINA incana (Lavender Cot- ton). 1 ft. Evergreen, delicate, sil- ver-white, foliage; very fragrant. Largely used for edgings to flower			
beds or walks	.09	.75	6.00
*SAXIFRAGA McNabiana (Rockfoil). 1 ft. Splendid for the wall garden or in crevices in the rock garden; gray-green foliage arranged in ros- ettes. Bears during May and June			
spikes set with small white flowers speckled with pink.		) 1.75	15.00

	Each	Per 10	Per 100
SCABIOSA (Pin-cushion Flower) caucasica. 2 ft. Slender, graceful stems hold aloft lovely flowers rang- ing from deep to mauve lavender from June until September		1.50	
japonica. 2 ft. Lavender-blue flow- ers from July to September; bien- nial variety.		1.50	
SEDUM (Stonecrop). A sun-loving family of plants.			
*-acre (Goldmoss). 2 in. Miniature tufts of deep green covered with golden yellow flowers.		.75	••••••
*-alpinatum. 3 in. Thick waxy foliage and red stems with pink flowers	.15	1.25	
*-anglicum. 2 in. Small minute green foliage; pink flowers in June and July.	l	1.25	10.00
*-glaucum. 1 in. Evergreen bluish green foliage and pinkish white flowers.	3	1.00	8.00
*-hispanicum (Spanish Stonecrop). 2 in. Delicate pink flowers and bright glaucous foliage.	•		
*-kamtschaticum. 6 in. Orange-yel- low flowers in July and August with prostrate, green foliage turn- ing golden in autumn.		.90	7.00
*-lineare. 6 in. Light yellowish green foliage with tiny star-shaped yel- low flowers in July	L •		
*-lydium. 1 in. Evergreen, with bronzy green foliage, and pink flow- ers.		) .90	7.00
*-reflexum. 6 in. Upright bluish green foliage in summer turning bronze-green in winter; yellow flow-			
ered. *-rupestris. 2 in. Evergreen; trailing	09	.75	6.00
with upright light yellow flowers in summer, showy foliage	\$	.75	6.00
*-sarmentosum. 2 in. Fast growing vigorous, trailing, one of the best to plant between stones or for edging quickly forms a dense mat; bright green foliage and tiny yellow flow-	) ) ;		
ers *-sexangulare. 4 in. Compact; ever-		.75	6.00
green foliage of rich dark green with yellow flowers	1	.75	6.00
*-sieboldi. 6-9 in. Round, succulent glaucous foliage; brilliant pink flow- ers from August to September. Of- ten spoken of as the loveliest of all			
the Sedums.	.15	1.25	10.00

	ach	Per 10	Per 100
plant	.09	.75	•••••
-spectabile variegata. 18 in. Varie- gated foliage, pink flowers	.12	1.00	••••••
*-spurium. 6 in. Evergreen leaves; purplish pink flowers in July and August. Excellent in the rockery and on sandy banks	.10	.90	7.00
*-spurium album. 4-6 in. A new varie- ty with pretty white flowers; pros- trate habit.	.09	.75	6.00
*-spurium coccineum. 4-6 in. Pretty trailer of deep maroon-brown color with a mass of bright red flowers in late summer. Ideal ground cover			
*-stoloniferum. 4-6 in. Purplish pink flowers in July and August	.10	.90	••••••
*-ternatum. 4 in. Most satisfactory Sedum for shady places, or for ground carpeting where it is difficult to make plants grow; white flowers in May and June	.15	1.25	
SEMPERVIVUM (Houseleek) Most attractive, hardy, succulent plants for the rock garden and rock wall. Their rosette-like thick leaves are fleshy and pointed. The small clumps slowly spread, filling pock- ets, and crevices between the rocks. They like rich sandy and perfectly drained soil in full sun. Numerous young rosettes are continually ap- pearing. Affectionately called Cat and Kittens and Hen and Chickens.			
*-alpha. 3 in. Neat rosettes and pink blooms.	.15	1.25	••••••
*-arachnoideum. 6 in. Small, tight rosettes, caressed by soft, silk webs; bright crimson flowers	.15	1.25	10.00
*-arenarium. 2 in. Green rosettes which change to deep brownish red	4.		
in autumn; pale yellow flowers *-brauni. 2 in. Dark green foliage and			
red flowers			
*-fauconetti. 4-6 in. Tiny rosettes, red flowers.	.15	1.25	10.00
*-fimbriatum. 6-10 in. Tips of the leaves crowned with tufts of hair; flowers bright red	.12	1.00	8.00

*-gamma. 8-10 in. Distinctive brown- ish gray rosettes			Per 100
*-globiferum. 6-10 in. Fat rosettes about 2 inches in diameter; pale yellow flowers.	.10	.90	7.00
*-juratense. 1 in. Very rare variety with small, dainty rosettes.	.18	1.50	12.00
*-LaHarpei. 2 in. Rare; fine rosettes and yellow flowers	.18	1.50	12.00
*-pompelli. 2 in. Rare; leaves tipped handsomely with brownish red	.12	1.00	8.00
*-ruthenicum. 1-2 in. Rare; rosettes dark, dull green	.15	1.25	10.00
*-tectorum. 1 ft. Broad rosettes, the leaves having reddish brown tips; flowers are pale red. This is the common House Leek of our grand- mother's garden.	.07	.65	5.00
*-tectorum rubrum. 1 ft. Broad ros- ettes with colorful, red tinted leaves.	.12	1.00	
*SILENE maritima (Sea Catchfly). 1 ft. Handsome bluish tinted fol- iage; covered with pinkish white blooms from June to August	.15	1.25	10.00
SPIREA filipendula (Dropwort). 18-24 in. Attractive finely cut foliage with fluffy, creamy white flower heads, in June and July. Companion to the Astilbes.	.12	1.00	
*STACHYS lanata (Woundwort). 4 in. Fine old-fashioned garden plant for edging or in the rock garden; dwarf; soft silvery foliage	.10	.90	7.00
*STATICE latifolia (Sea-lavender). 15-18 in. Purple-blue flowers in July and August will last a long time when cut and dried	.12	1.00	8.00
STOKESIA (Stoke's Aster) cyanea. 18-24 in. Very handsome lav- ender-blue flowers in the summer. Likes the sun.	.12	1.00	8.00
-cyanea alba. 18-24 in. Pure white flowering variety.	.12	: 1.00	
THALICTRUM (Meadowrue) —aquilegifolium. 2-3 ft. Spikes of rosy purple flowers from June to July.	.12	2 1.00	8.00
-minus adiantifolium. 2 ft. Pretty fol- iage with miniature creamy white flowers in June.	.12	2 1.00	
E of a maniatur at 10 maters OF of a man			0

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

-	-
h	h
è 7	
~	~

E	lach	Per 10	Per 100
THERMOPSIS caroliniana. 2-3 ft. Rich green foliage; yellow, pea-like flowers are produced in racemes, 6 to 12 inches long. Very attractive			
THYMUS (Thyme) *-lanuginosus (Wooly Thyme). 1 in. Small, roundish leaves and rosy lilac-pink flowers in summer	.15	1.25	10.00
*-serpyllum (Mother-of-thyme). 10 in. Fragrant foliage; may be walked on freely when established or cut with the lawnmower; small purple-like flowers most all summer. Spreads rapidly.	15	1 95	10.00
*-serpyllum coccineus (Crimson Thyme). 10 in. Becomes completely covered with bright cherry red flow- ers.			
*-vulgaris roseus. 1 ft. An old favo- rite with scented foliage and pink flowers in May and June; semi-trail- er. A much used herb for seasoning foods.			
<ul> <li>TRITOMA (Torchlily; Flame Flower; Red Hot Poker)</li> <li>—pfitzeri. 3 ft. Tall spikes with heads of brilliant orange-scarlet blooms from July to September. Very showy and greatly admired. Should have</li> </ul>			
<ul> <li>slight protection in winter</li> <li>Selected Hardy Hybrids. 3 ft. Various colors ranging from pale yellow to deep orange; perfectly hardy</li> </ul>			8.00 8.00
<ul> <li>TROLLIUS (Globeflower)</li> <li>*-europaeus Hybrids. 2 ft. Fine for moist, shady places. Deep green, finely cut foliage. The flowers, free- ly produced in May and June, are lovely shades of yellow and orange and globe-shaped. Very useful for</li> </ul>			
<ul> <li>cutting.</li> <li>*-ledebouri Golden Queen. 2 ft. A new, superb variety, highly acclaimed in Europe and America. Extra large golden orange flowers on erect stems during May and June. A profuse bloomer and a handsome cut flower.</li> </ul>	<b>.</b>		
*TUNICA saxifraga (Tunicflower or Coat Flower). 6-8 in. Pretty masses of small pink flowers of a misty ap- pearance, all summer; attractive compact foliage.			
VALERIANA (Garden Heliotrope) *-coccinea. 18 in. Showy heads of old rose flowers in umbels on 12 inch stems, just above the rich green foli- age are produced from June until October. A splendid plant for bold			
effects in the wall or rock garden	.09	.75	6.00

*-coccinea alba. 18 in. White form of			Per 100
the above.	.09	.75	6.00
officinalis. 3-4 ft. Produces showy heads of rose-tinted white flowers during June and July, with delicious strong heliotrope odor	.12	1.00	
*VERBASCUM phoeniceum Hybrids (Mullein) 18 in. Delightful bien- nials with graceful spikes of col- ors ranging from white, pink, rose purple and bronze to brown. Ver- bascums respond as perennials, re- quiring a warm position and light or medium, well drained soil	.09	.75	6.00
VERONICA (Speedwell) Beautiful hardy perennials that vary in height from a few inches to three feet and bear blue, rosy pink or white flowers in terminal spikes or racemes. Showy plants for bor- ders or rock gardens and all of easy culture.			
*-elegans. 15-18 in. Light pink flow- ers during June and July	.15	1.25	1 <b>0.</b> 00
*-erica rosea. 10 to 12 in. Pretty rose pink flowers in June and July	.15	1.25	10.00
*-incana. 12-15 in. Numerous blue flowers in July and August and sil- very, wooly foliage; useful in rock- ery or for edging paths and flower beds.		1.00	8.00
longifolia subsessilis. 2 ft. One of the handsomest blue-flowering plants; July and August. Fine for cutting.		1.25	
orchidea. 2-3 ft. Hardy variety from the Balkans. Produces a pro- fusion of clear blue flowers from June to August.		1.50	12.00
*-prostrata. 4 in. A trailing variety blooming in May with miniature spikes of light blue		3 1.50	12.00
*-repens. 3 in. Pretty dwarf variety forming neat little tufts of deep green. In April the tiny pale blue flowers hide the foliage	1	3 1.50	
*-Royal Blue. 10-12 in. A brilliant shade of dark blue; bushy, dwarf habit. June and July flowering			

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

*-rupestris. 4 in. From late April	ach	Per 10	Per 100
well into June this is a bright carpet of rich blue. A good ground-cover in the shrubbery border.	.12	1.00	8.00
*-rupestris nana. 1 in. Deep gentian blue flowers in April and May; creeping.	.20	1.75	15.00
*-rupestris nana rosea. 1 in. Delight- ful mauve-pink flowers in April and May.	.20		••••••
-spicata. 2 ft. Long spikes of violet- blue flowers all summer; showy	.09	.75	6.00
spicata rosea. 2 ft. Much branched variety with pink flowers.	.15	1.25	10.00
*-spuria (amethystina). 12 in. Blue flowers in long spikes during June and July.	.12	1.00	
*-teucrium. 12 in. Dwarf; spreading dense growth; flowers blue in June and July.			
VIOLA (Violet; Hardy Pansy)	.00	.10	0.00
*-cornuta (Tufted Pansy). 4-6 in. These charming plants differ from the ordinary Pansy by being more compact in habit and more contin- uous and free in flowering. From early spring to late autumn their dainty flowers create a profusion of color. The colors are varied, as in Pansies, but much more refined. They like deep, well-enriched soil, and considerable sun. Ideal for carpeting. It is well to cut back all straggling growth sometime during September.			
Gracilis Lord Nelson. Large flowers of glowing purple. Im- proved strain.	.12	1.00	
proved strain. Jersey Gem. Pure rich violet Jersey Gem White. Pure white blooms.	.15	1.25	
*-odorata Prince of Wales (Sweet Violet). 6 in. Gloriously sweet scented rich, deep purple flowers; heavy deep green foliage. Ideal for cutting; used by florists. Does ex-		*	
cellently in the shade	.15	1.25	10.00
YUCCA (Adam's Needle) -filamentosa. 6 ft. Broad, swordlike evergreen foliage and immense branching spikes of drooping, creamy white flowers. A bold and handsome object on the lawn or in the lawre reach grander. Also called			•
the large rock garden. Also called Spanish Bayonet.		.75	6.00
-glauca. 2-3 ft. A very good variety with large white flower-spikes	.15	1.25	

# Fruit Trees

APPLES Per Per Per					
2 and 3 year bud	s assorted	Each		100	Per 1000
First class 11/16 and up.	to 1 in. 5 ft		4.25	40.00	
First class 9/16 4 ft. and up			3.75	35.00	
First class $7/16$ $3\frac{1}{2}$ ft. and up			3.00	25.00	
First class 5/16 3 ft. and up	to 7/16 in	n. 	2.00	17.50	
Т	Varieties of 2	year Ap	ples		
Duchess Hyslop Crab	Smokeho Spitzenb				n Swect Imperial
1 yr. Buds, 4 to 5	5 ft	40	3.75	35.00	
1 yr. Buds, 3 to 4	l ft	35	3.00	25.00	
1 yr. Buds, 2 to	3 ft	25	2.00	15.00	
	Varieties of 1	year Ap	ples		
Delicious Duchess Fall Rambo Grimes Golden Hyslop Crab Maiden Blush McIntosh	M. B. Twigg Jonathan Smokehouse Stark Spitzenburg Stayman's Wi Summer Ram	inesap	Toln Wea Win Win Yello	han Swee lthy ter Bana ter Parad ow Trans c Imperia	na dise parent
А	PRICOTS (	IN PEA	CH		
1 year old from h					
9/16 to 11/16 in.		40	3.50	30.00	
7/16 to 9/16 in.	4 to 6 ft	35	3.00	25.00	
5/16 to 7/16 in.	3 to 4 ft Early 0		2.50	20.00	••••••
	CHERRIE	ES. Som	r		
2 year old Budde					

Early Richmond	0	Mon	tmorency	
Varietie	Q			
and up.	.35	3.00	22.50	
No. 2 grade 7/16 to 9/16 in.				
and up	.40	3.50	32.50	•••••
Med. grade 9/16 to 11/16 in.				
No. 1 grade $11/16$ in. and up	.45	4.00	38.00	•••••
a year old Dudded Hees				

#### CHERRIES, Sweet

2 year old Budded Trees				
No. 1 grade 11/16 in. and up	.55	5.00	45.00	
Med. grade 9/16 to 11/16 in.				
and up.	.48	4.20	38.50	******
No. 2 grade 7/16 to 9/16 in.				
and up.	.38	3.50	30.00	••••••
Varieties				
Black Tartarian Governor Wood		Yello	w Spanish	

Bing Napoleon

Yellow Spanish Win**dsor** 

	PEACHI	ES			
		Each	10	100	1000
Sturdy trees 1 ye		05	0.00	05 00	005 00
9/16 to 11/16 in.	-	.35	3.00	25.00	225.00
7/16 to 9/16 in.	<b>^</b>	.30	2.50	20.00	180.00
5/16 to 7/16 in.	<b>^</b>	.25	2.00	15.00	140.00
About 5/16 in. 2	to 3 ft	.20	1.40	12.00	100.00
	Varieties	3			
Belle of Georgia Bracket Carman Champion Crawford's Early Crawford's Late Cumberland	Elberta Early Elberta Fitzgerald Golden Jubilee Greensboro Globe Hiley Early Bel	J. Lei Ma Nia Ori	ath Cli H. Hal mon Fr arigold agara iole diance	$\begin{array}{ccc} \mathbf{k} \mathbf{k} \mathbf{k} \mathbf{k} \mathbf{k} \mathbf{k} \mathbf{k} k$	oberta osebud Iway ipley ate Red Haven ump
	PEARS	5			
0 11 1 1		Ē	Each I	Per 10	Per 100
2 year old stand No. 1 grade 11/1			.50	4.50	42.50
Med. grade 9/16	to 1 <b>1</b> /16 in. an	d up	.45	4.00	30.00
No. 2 grade 7/16	to 9/16 in. an	d up.	30	2.75	25.00
1 year old standa	rd Budded Tre	es			
3 to 4 ft. whips.			.25	2.25	20.00
2 to 3 ft. whips.			.20	1.75	15.00
	Varieties	3			
Bartlett Flemish Beauty	Buerre Bosc Clapp's Favorite Seckel (1 yr. on		Buer Keif		ijou
	PLUMS	5			
1 and 2 year on	Myrobolan	E	Each H	Per 10	Per 100
11/16 in. and up	5 to 6 ft		.45	4.00	35.00
9/16 to 11/16 in.	and up $4\frac{1}{2}$ to	6 ft.	.35	3.25	30.00
7/16 to 9/16 in.	3 ft. and up		.30	2.50	20.00
5/16 to 7/16 in.	2½ to 3 ft		12	2.00	15.00
Abundance	Varieties of 2 ye Burbank	ar Plu	ıms Wiel	cson	

Abundance Bradshaw Burbank Varieties of 1 year Plums Fellenberg Shropshire Damson French Prune Wickson German Prune Yellow Egg Moore's Arctic

# Small Fruits, Etc.

ASPARAGUS, Rust I	Proof		
	Per	Per	Per
	10	100	1000
Mary Washington 2 yr. No. 1	.15	1.25	6.00
Mary Washington 2 yr. No. 2	.12	1.00	5.00
Pedigree Washington 2 yr. No. 1	.15	1.25	6.00
Pedigree Washington 2 yr. No. 2	.12	1.00	5.00

#### **BLACKBERRIES**

Eldorado,	$\mathbf{root}$	$\mathbf{cuttings}$	No.	1	.38	3.00	25.00
Snyder,	root	cuttings	No.	1	.38	3.00	25.00

GRAPI	ES -			
		$\mathbf{Per}$	Per	$\mathbf{Per}$
	Each	10	100	1000
Caco 2 yr. No. 1, light red	.42	3.50		
Campbell's Early 2 yr. No. 1				
black	.18	1.50	12.00	100.00
Concord 2 yr. No. 1, black	.12	1.00	8.00	70.00
Concord 2 yr. No. 2, black	.09	.80	7.00	60.00
Moore's Early 2 yr. No. 1,				
black	.18	1.50	10.00	80.00
Moore's Early 2 yr. No. 2,				
	.12	1.00	8.00	70.00
Niagara 2 yr.No. 1, white	.18	1.50	10.00	80.00
Niagara 2 yr. No. 2, white	.12	1.00	8.00	70.00
Worden 2 yr. No. 1, blue-				
black	.18	1.50	10.00	80.00
RASPBER				
Cumberland No. 1 tips		.30	2.00	16.00
Cumberland No. 1 transplan	ted	.40	3.00	25.00
Latham No. 1, well rooted,				
transplanted		.45	4.00	30.00
St. Regis No. 1 well rooted,				
transplanted		.35	2.50	20.00
	nn			
RHUBA				
Myatts Linneaus, 2 ond 3				
divided plants		.42	3.50	25.00

#### GRAPES

# Lining Out Stock

We offer for Spring 1936 the following list of Lining Out Stock consisting of plants which have had only the very finest attention and propagating conditions. Prices on Lining Out Stock strictly as noted.

### Evergreens

**ROOTED CUTTINGS** for delivery as soon as weather permits in early Spring 1936. Strong, well-established plants from 2<sup>1</sup>/<sub>4</sub> inch pots. Rooted Summer of 1935.

CHAMAECYPARIS (Retinospora)	Per 25	Per 100
C. plumosa (Plume R.)		10.00
C. plumosa aurea (Goldenplume R.)	3.00	10.00
JUNIPERUS (Juniper) J. chin. pfitzeriana, (Pfitzer J.)	4.00	12.00
J. com. depressa plumosa (Andorra; Purple Spreading J.)	3.00	10.00
J. com. hibernica (Irish J.)	3.00	10.00
J. excelsa stricta (Spiny Greek J.)	4.00	12.00
J. sabina (Savin J.)	4.00	12.00
TAXUS (Yew)		
T. cuspidata (Spreading Japanese Y.)	6.00	18.00
T. cusp. capitata (Upright Japanese Y.)	6.00	18.00
T. baccata (English Y.)	6.00	18.00

	$\operatorname{Per}_{25}$	Per 100
T. brevifolia (Pacific Y.)		18.00
T. brevifolia nana (Dwarf Pacific Y.)		18.00
T. media hicksi (Hicks Y.)	6.00	18.00
T. baccata repandens (Spreading English		
Y.)	6.00	18.00
THUJA (Arborvitae) (All occidentalis va-		
rieties.) T. globosa (Globe A.)	3.00	10.00
T. Little Gem (Fine for the rockery)	4.00	12.00
T. lutea (George Peabody A.) T. pyramidalis (Pyramidal A.)	3.00 3.00	10.00 10.00
SEEDLINGS (Sdlgs.) and TRANSPLA		(TP.)
These are fine sturdy seedlings and tran	splant	s for
delivery whenever the weather permits.		
PICEA (Spruce) P. canadensis (alba) (White S.)		
3 yr. Sdlgs., 8 to 10 in. 3 yr. Sdlgs., 6 to 8 in. TP	2.25	7.50
3 yr. Sdlgs., 6 to 8 in. TP 3 yr. Sdlgs., 8 to 10 in TP	2.25 3.00	7.50
P. excelsa (Norway S.)		
3 yr. Sdlgs., 6 to 8 in.	1.15	4.00
3 yr. Sdlgs., 6 to 8 in. 3 yr. Sdlgs., 8 to 10 in. 3 yr. Sdlgs., 10 to 12 in. TP	1.75 3.00	6.00 10.00
P. pungens glauca (Blue Colorado S.)		
3 yr. Sdlgs., 4 to 6 in.	1.50	5.00
3 yr. Sdlgs., 4 to 6 in 3 yr. Sdlgs., 4 to 6 in. TP 4 yr. Sdlgs., 6 to 8 in. TP	2.25 3.00	7.50
PSEUDOTSUGA douglasi (Douglas Fir)		
3 yr. Sdlgs., 8 to 12 in.	1.90	6.00
3 yr. Sdlgs., 6 to 8 in. TP 3 yr. Sdlgs., 8 to 10 in. TP	2.25 3.00	7.50 10.00
THUJA occidentalis (American Arborvitae)		
3 yr. Sdlgs., 8 to 10 in.	1.15	4.00
3 yr. Sdlgs., 10 to 12 in.		6.00
GRAFTS for delivery from April 15th to Strong, well-established plants from 2 <sup>1</sup> / <sub>4</sub> inc		
JUNIPERUS (Juniper)	Too.	
J. chinensis columnaris (Columnar Chinese J.)	7.00	22.50
J. communis oblonga	7.00	22.50
J. horizontalis (Creeping J.)		22.50
J. horizontalis glauca (Blue Creeping J.)		22.50
J. sabina tamariscifolia (Tamarix		00 70
Savin J.)	7.00	22.50
J. virginiana burki (Burk's Redcedar)	7.00	22.50
J. virginiana cannarti (Cannart Redcedar)	7.00	22.50
J. virginiana glauca (Silver Redcedar)		22.50
J. virginiana keteleeri (Keteleer	-	0.0
Redcedar)		
J. virginiana schotti (Schott Redcedar)	7.00	22.50

## Lining Out Evergreen Shrubs

<b>ROOTED CUTTINGS</b> for delivery as soo er permits in early Spring 1936. Stron tablished plants from 2 <sup>1</sup> / <sub>4</sub> inch pots. Rooted	ng, w	vell-es-
1935.	Per	Per
ABELIA grandiflora (Glossy Abelia; Bush Arbutus)		100 6.00
AZALEAS Coral Bells, Flame, Maxwelli	3.00	10.00
Hinodegri	2.15	7.50
BERBERIS (Barberry)		
B. julianae (Wintergreen B.)	3.00	10.00
B. verruculosa (Warty B.)	3.00	10.00
COTONEASTER horizontalis (Rock C.)	2.00	7.00
ILEX crenata microphylla (Littleleaf Japanese Holly)	2.50	8.00
LIGUSTRUM lucidum (Glossy Evergreen Privet)	2.50	8.00
MAHONIA aquifolium (Oregon Hollygrape) 1 yr Sdlgs., 4 to 6 in. only, not from	1.0.0	
pots	1.90	6.00
PYRACANTHA coccinea lalandi (Laland Firethorn)	2.50	8.00

# Buxus (Boxwood)

B. suffruticosa (Truedwarf or English Boxwood)	$rac{\mathrm{Per}}{25}$	<b>P</b> er 100	Per 1000
4 to 5 in. rooted cuttings 4 to 5 in. from $2\frac{1}{4}$ in. pots 5 to 6 in. from beds 6 to 7 in. from beds (See also page 11)	1.50 1.90	4.00 5.00 6.00 12.00	35.00 45.00 50.00 100.00
B. sempervirens (Bush Box) 4 to 5 in. rooted cuttings 4 to 5 in. from 2 <sup>1</sup> / <sub>4</sub> in. pots		$\begin{array}{c} 3.00\\ 4.50\end{array}$	25.00 40.00

## Lining Out Deciduous Trees

SEEDLINGS for delivery as soon as weather permits in early Spring 1936. Strong, well-rooted little plants. BETULA alba (European White Birch) 25 100

2	yr.,	12	to	15	in	1.90	6.00
---	------	----	----	----	----	------	------

	${\mathop{\mathrm{Per}}\limits_{25}}$	Per 100
CRATAEGUS oxyacantha (English Hawth 1 yr. 12 to 15 in		4.00
FRAXINUS excelsior (European Ash) 2 yr., 18 to 24 in	2.00	7.00
GINKGO biloba (Maidenhair-tree) 1 yr., A to 6 in	1.90	6.00
ULMUS (Elm)		
U. americana (American E.) 2 yr., 8 to 12 in	1.00	3.50
U. pumila (Chinese E.) 2 yr., 12 to 15 in	1.90	6.00

# Lining Out Deciduous Shrubs

<b>ROOTED CUTTINGS</b> for delivery as soo er permits in early Spring 1936. Strong, lished plants from $2\frac{1}{4}$ inch pots. Rooted 1935.	n as w Well-e Summ	eath- stab- er of
ACANTHOPANAX pentaphyllum (Five-leaf Aralia)	.1.15	4.00
ALTHEA anemonaeflorus (Double purple)	.85	2.50
BERBERIS thunbergi atropurpurea (Redleaf Barberry).	1.50	5.00
CALLICARPA purpurea (Chinese Beautyberry)	1.50	5.00
CEPHALANTHUS occidentalis (Buttonbush).	1.00	3.50
FORSYTHIA intermedia spectabilis and suspensa	.85	2.50
HYDRANGEA paniculata grandiflora (Peegee H.).	1.00	3.50
HYPERICUM henryi and moserianum	1.50	5.00
JASMINUM nudiflorum (Winter Jasmine)	1.90	6.00
KOLKWITZIA amabilis (Beautybush)	1.15	4.00
LIGUSTRUM ibota regelianum (Regel Privet).	.75	2.00
PHILADELPHUS coronarius (Sweet Mockorange)	.85	2.50
SPIREA Anthony Waterer, arguta and thunbergi	.85	2.50
STEPHANANDRA flexuosa (Cutleaf S.)	.85	2.50
SYRINGA vulgaris (Common Purple Lilac)	.85	2.50

	Per 25	<b>Per</b> 100
VIBURNUM opulus (European Cranberrybush)		
VIBURNUM opulus sterile		
(Common Snowball).	1.00	3.50
WEIGELA Eva Rathke (Redflowered W.).	1.00	3.50
WEIGELA rosea (Pink W.)	85	2.50
SEEDLINGS for delivery as soon as weat in early Spring 1936. Strong, well-rooted p		mits
COLUTEA arborescens (Bladder-senna)	1.00	C 00
2 yr., 18 to 24 in	1.90	6.00
CORONILLA emerus (Scorpion-senna) 2 yr., 18 to 24 in	1 90	6.00
	1.00	0.00
MERATIA praecox (Calycanthus praecox; Wintersweet)		
2 yr., 6 to 8 in		2.50
2 yr., 8 to 10 in	1.15	4.00
PHOTINIA villosa (Christmasberry)		
2 yr., 18 to 24 in 2 yr., 2 to 3 ft		3.50 5.00
		5100
VITEX negundo incisa (Cutleaf Chaste-tree		0.50
2 yr., 10 to 12 in. 2 yr., 12 to 15 in.		2.50 4.00

# Lining Out Vines

**ROOTED CUTTINGS** for delivery as soon as weather permits in early Spring 1936. Strong, well-established plants from 2<sup>1</sup>/<sub>4</sub> inch pots. Rooted Summer of 1935.

HEDERA (Ivy) H. coriacea (Korean Ivy)	2.00	7.00
H. helix baltica (Hardy Baltic Ivy)	2.00	7.00
H. helix gracilis (Small-leaf English Ivy)	1.50	5.00
LONICERA sempervirens (Trumpet Honeysuckle).	1.00	3.50

LINING OUT STOCK is in good demand this year and for that reason we ask that you kindly let us book your orders as soon as possible so that we can reserve the stock subject to your shipping instructions.

## Index of Common Names

	Pa	ge
AbeliaAkebia		9 29 13
Alder Althea Ampelopsis Andromeda		18 29 12
Apple		58 58 18
Aralia Arborvitae7, 8, Arrowwood Ash	9,	61 27 15
Azaleas		59 62
Barberry10, J Beautyberry	19,	62 20
Barberry		23 14 30
Blackberry	20,	<b>2</b> 0
Boxwood10, J Bridal Wreath	11,	<b>2</b> 6
Buckeye Buckthorn Burningbush	L1,	13 25 22
Burningbush 1 Bushclover Butterfiybush Buttonbush		23 20 20
O Catalpa		14
Catalpa Chaste-tree Cherry Cherry, Flowering Chokeberry		27 58 17
Cinquefoil	24,	19 16 25
Clematis Coffeetree Coralberry Cotoneaster	ĺ	30 15 26
Cotoneaster Crab, Flowering Cranberrybush	11,	
D D		3 11
Daphne Deutzia DogwoodE	15,	21 20
ElderE ElmElm Euonymus11, 5 F	21,	25 18 22
Firethorn, Laland		12
Fringetree, White		22 20
Gloryvine Goldenchain Goldenrain-tree		80 16 15
Grape H		60 14
Hemlock	15, 11,	63 9 62
TT 11	12,	62 15
Horsechestnut	30, 23,	64 13 63
Ivy	30,	<b>19</b> 64
Japanese Creeper Japanese Holly	11,	80 62 12
Japanese Spurge Jasmine	30,	63 <b>25</b>

inton ryanics	
Pr Judas Tree4, 5, 6, 60, Kontucky Coffeeting	<b>14</b> 61
Kentucky Concettee	15
L Larch Leucothoe Lilac Linden M	16 12 63 17
Magnolia	16 13 63 17 16 12
Nannyberry	27 24
O Oak Olive, Russian P Peach Peach Peach	17 21
Pear Pearlbush Perjwinkle	59 14 59 22 12 5,7 16 59 17 29 63 25 62
Quince, Japanese Flower-	
ingR R	20
Raspherry Raspherry, Flowering Redbud Retinospora	60 25
S Sassafras	17 64 25 27 26 19 63 25
Tamarix Trumpetcreeper Tuliptree	27 80 16
Umbrella Tree	14
Viburnum 27, Virginia Creeper	64 29
W Walnut Waxmyrtle Wayfaring-tree Weigela Willow Wintercreeper Wisteria	18 24 27 64 17 11
Witch-hazel	30 22



# SPRING 1936

